

We Believe in  
Keeping you Safe..

Automation | Control Gear | Switch  
Gear | Panel Accessories | Signal Light



[www.idideal.in](http://www.idideal.in)

PRICE LIST  
WEF: JULY | 2021

<b>1. PROXIMITY SENSOR</b> [A] Inductive Sensor-ID-E-Series	1
<b>2. ADVANCE GENERATION PROXIMITY SENSOR</b> [A]Inductive Sensor-IDN - Series	2
<b>3. PROXIMITY SENSOR</b> [A] Rectangular Type-IDF / IDPS-Series [B] Inductive Sensor-ID-E-Series (NON-STD SIZE)	3
<b>4. PHOTO ELECTRIC SENSORS</b> [ [A]GIDN-Series- Diffuse Type [B] Retro-Reflective [C]Through beam	4
<b>5. SENSORS</b> [A] Capacitive [B] Photo -Micro [C] Colour Mark [D] Area Secure[E] Optic Fiber [F] Float Level	5
<b>6. SENSORS</b> [A] Reed Switch [B] Square [C]Magnetic [D] Long Distance [E] Metal Face [F] Accessories	6
<b>5. SMPS - SWITCH MODE POWER SUPPLY</b> [A] 24V/ 12V [B] 5V [C] 15/18/30/36/48V [D] Din Rail [E]Dual & Triple [F] Mini [G] LRS Slim	7,8,9
<b>6. SSR - SOLID STATE RELAY</b> [A]Single Phase [B] Three Phase [C] Heavy Duty [D] Slim with Heat Sink [E] Heat Sink	10 ,11,12
<b>7. LIMIT SWITCH</b> [A] ID-81 [B]IDCA [C] IDHL[D]ID-10 [E] IDSA [F] Pre wired [G] ID-61 [H] ID-J [I] ID-3SE3/LX-19	3,14,15
<b>8. MICRO SWITCH</b> [A] ID-Z-15 [B] D4MC [C] ID-GW-15 [D] "V" Type & Mini[E]IDD-4E /IDQ Series [F] Door Switch	16,17
<b>9. BLINKING LIGHT, MULTI-LAYER TOWER LIGHT &amp; SIREN</b> [A] Bulb Type Blinking Light [B] Bulb Type Tower Light [C] LED Blinking Light [D]Solar Blinking Light [E] LED Tower Light [F] LED Tower Light-FRBS [G] Siren & Buzzer	18,19
<b>10. PUSH BUTTONS</b> [A] Reliable [B] Economy [C] Detachable-Economy [D] 12MM [E] 19MM Metal	20
<b>11. 16MM PUSH BUTTON</b> [A] Reliable [B] Economy [C] Detachable-Economy [D] 12MM [E] 19MM Metal	21
<b>12. SIGNALLING CONTROL DEVICES</b> [A]LED Indicators [B] Flasher with Buzzer [C] Voltage & Ampere Display [D] Protective Cover for Push Buttons	22
<b>13. HEAVY DUTY CONNECTORS</b> [A] Bottom Open- Screw/Crimping Type [B] Cable to Cable [C] Bottom Close [D] Top Entry [E] Dustproof Cover [F] Mini [G] 35Amp [H] 80Amp [I] Round Connectors [J] Rotary Encoder	23 - 24
<b>14.END CORD TERMINAL ( EH-LUGS ) &amp; TOOLS</b> [A]Single [B]Twin [C] Crimping Tool [D] Fully Insulated Lugs [E] Wire Connector	25,26,27
<b>15. CONTACTORS &amp; BIMETAL RELAYS</b> [A] AC Contactor [B] O/L Relay [C] 4Pole Contactor [D] DC Contactor [E] MPCB	30
<b>16 . CRANE PENDENT, FOOT SWITCH , JOYSTICK, ROCKER SWITCH , FLOAT SWITCH</b> [A] COB [B] Wireless Remote [C] Single Speed [D] Double Speed [E] Monolever Switches [F] Power Push Button Switch [G] Foot Switches [H] Rocker [I] Water Level Controller	31
<b>17. INSTRUMENT ( AXIAL ) COOLING FANS-AC/DC</b>	32
<b>18. RELAYS &amp; BASES</b>	33
<b>19.PORCELIN FUSE &amp; HOLDERS, AC SOLENIOD</b>	34
<b>20.CABLE GLAND</b> [A] PG [B] Metric Thread [C] Metal PG	35
<b>21. PANEL ACCESSORIES</b> [A]Hour Meter [B]Counter [C] Timer [D] Floatless Relay/Phase Reversal [E]Speed Controller	36
<b>22. ENCLOSURE</b> [A] Pvc/Metal Control Boxes [B] Thermoplastic [C] Isolator [D] Receptable Combination	37
<b>23. INDUSTRIAL PLUG &amp; SOCKETS-16 TO 125 AMPS</b>	38,39

PROXIMITY SWITCHES [Economy] INDUCTIVE TYPE--ID-- E- SERIES			HSN 85369090
S.No	Size	Cat.No	Price
1	M-12	ID-12-3002/4 PA/NA-NO	<b>S</b> 380
2	"	ID-12-3002/4 PB/NB-NC	430
3	"	ID-12-3002/4 LA-DC/NO	610
4	"	ID-12-3002/4 LB-DC/NC	710
5	"	ID-12-2002/4 A-AC/NO	<b>S</b> 430
6	"	ID-12-2002/4 B-AC/NC	520
7	"	ID-12-3002/4 PC/NC(NO+NC)	600
8	M-18	ID-18-3005/8 PA/NA-NO	<b>S</b> 380
9	"	ID-18-3005/8 PB/NB-NC	430
10	"	ID-18-3005/8 LA-DC/NO	610
11	"	ID-18-3005/8 LB-DC/NC	710
12	"	ID-18-2005/8 A-AC/NO	<b>S</b> 430
13	"	ID-18-2005/8 B-AC/NC	520
14	"	ID-18-3005/8 PC/NC(NO+NC)	600
15		ID-18-2008-AB-(AC-NO+NC)	750
16	"	ID-18-3005/8 PA/NA-NO(PVC)	600
17	M-30	ID-30-3010/20 PA/NA-NO	<b>S</b> 650
18	"	ID-30-3010/20 PB/NB-NC	690
19	"	ID-30-3010/20 LA-DC/NO	800
20	"	ID-30-3010/20 LB-DC/NC	900
21	"	ID-30-2010/20 A-AC/NO	<b>S</b> 730
22	"	ID-30-2010/20 B-AC/NC	790
23		ID-30-3020 PC-NO+NC	850
24	M-35	ID-35-3017/25 PA/NA-NO	1100
25	"	ID-35-3017/25 PB/NB-NC	1260
26	"	ID-35-3017/25 LA-DC/NO	1350
27	"	ID-35-2017/25 A-AC/NO	1450
28	"	ID-35-2017/25 B-AC/NC	1600
29	M-50	ID-50-3038 PA/NA-NO	<b>S</b> 2050
30	"	ID-50-2028 A-AC/NO	2900
31	M-55	ID-55-3030 PA/NA-NO	2800



ID--- E- SERIES - SHORT BODY (25/30/35MM)			HSN 85369090
1	M-8	IDN-8-3001/2 PA/NA-NO	<b>S</b> 850
2	"	IDN-8-3001/2 LA-DC/NO	1020
3	M-12	ID-12-3002/4 PA/NA-NO	<b>S</b> 600
4		ID-12-3002/4 LA-DC/NO	750
5		IDQ-12-3002/4 PA/NA-NO(TE TYPE)	680
6	M-18	ID-18-3005/8 PA/NA-NO	<b>S</b> 600
7		IDQ-18-3005/8 PA/NA-NO(TE TYPE)	680
8	M-30	ID-30-3010/20 PA/NA-NO	850



**S** Stock items

**PROXIMITY SWITCHES**  
**INDUCTIVE TYPE--IDN-- "R" SERIES**

**HSN**  
**85369090**

<b>ADVANCE GENERATION SENSOR</b>			
S.No	Size	Cat.No	Price
1	M-3	IDN-3-3.06 PA/NA-NO(NON THREADING)	4200
2	M-3	IDN-3-3.06 PAT/NAT-W/O CABLE	5500
3	M-4	IDN-4-3001 PA/NA-NO(NON THREADING) <b>S</b>	2400
4	"	IDN-4-3001 PA/NA ( THREADING) <b>S</b>	2800
5	"	IDN-4-3001 PB/NB-NC(THREADING)	3400
6	M-4	IDN-4-3001 PAT/NAT-W/O CABLE	4300
7	M-5	IDN-5-3001 PA/NA-NO <b>S</b>	1900
8	"	IDN-5-3001 PB/NB-NC	2300
9	M-5	IDN-5-3001 PAT/NAT-W/O CABLE	2600
10	M-6	IDN-6-3001 PA/NA-NO <b>S</b>	1650
11	"	IDN-6-3001 PB/NB-NC	1950
12	"	IDN-6-2001 A-AC/NO	2700
13	M-6	IDN-6-3001 PAT/NAT-W/O CABLE	2100
14	M-8	IDN-8-3001/2 PA/NA-NO <b>S</b>	600
15	"	IDN-8-3001/2 PB/NB-NC	670
16	"	IDN-8-3001/2 LA-DC/NO	800
17	"	IDN-8-3001/2 LB-DC/NC	900
18	"	IDN-8-2001/2 A-AC/NO	890
19	"	IDN-8-2001/2 B-AC/NC	980
20	M-8	IDN-8-3001/2 PAT/NAT-W/O CABLE	970
21	M-8	IDN-8-3001/2 PBT/NBT-W/O CABLE	1200
22	M-8	IDN-8-3001/2 PAT/NAT(12MM)-W/O CABLE	1150
23	M-12	IDN-12-3002/4 PA/NA-NO <b>S</b>	530
24	"	IDN-12-3002/4 PB/NB-NC	570
25	"	IDN-12-3002/4 LA-DC/NO	800
26	"	IDN-12-3002/4 LB-DC/NC	900
27	"	IDN-12-2002/4 A-AC/NO	630
28	"	IDN-12-2002/4 B-AC/NC	660
29	"	IDN-12-3002/4 PC/NC(NO+NC)	690
30	M-12	IDN-12-3002/4 -PAT/NAT-W/O CABLE <b>S</b>	750
31	M-12	IDN-12-3002/4 PBT/NBT W/O CABLE	800
32	M-18	IDN-18-3005/8 PA/NA-NO <b>S</b>	530
33	"	IDN-18-3005/8 PB/NB-NC	570
34	"	IDN-18-3005/8 LA-DC/NO	800
35	"	IDN-18-3005/8 LB-DC/NC	900
36	"	IDN-18-2005/8 A-AC/NO <b>S</b>	630
37	"	IDN-18-2005/8 B-AC/NC	660
38	"	IDN-18-3005/8 PC/NC(NO+NC)	690
39	M-18	IDN-18-3005/8 PAT/NAT W/O CABLE <b>S</b>	800
40	M-18	IDN-18-3005/8 PBT/NBT W/O-CABLE	900
41	M-30	IDN-30-3010/20 PA/NA-NO <b>S</b>	750
42	"	IDN-30-3010/20 PB/NB-NC	790
43	"	IDN-30-3010/20 LA-DC/NO	960
44	"	IDN-30-3010/20 LB-DC/NC	1080
45	"	IDN-30-2010/20 A-AC/NO <b>S</b>	830
46	"	IDN-30-2010/20 B-AC/NC	930
47	M-30	IDN-30-3010/20 PAT/NAT-W/O CABLE <b>S</b>	900
48	M-30	IDN-30-3010/20 PBT/NBT-W/O CABLE	1200



**S** Stock Items

<b>RECTANGULAR TYPE</b>				<b>HSN</b>
<b>INDUCTIVE--IDF SERIES</b>				<b>85369090</b>
1	18*18*34	IDF-1-3005/8 PA/NA	S	520
2	"	IDF-1-3005/8 PB/NB		650
3	"	IDF-1-2005/8 A-NO		720
4	"	IDF-1-2005/8 B-NC		810
5	"	IDF-1-3005/8-LA-NO		690
6	"	IDF-1-3005/8-PC/NC		750
7	"	IDF-1T-3005/8 PA/NA(TOP SENSING)		650
8	17*17*28	IDF-2-3005/8 PA/NA	S	520
9	"	IDF-2-3005/8 PB/NB		650
10	"	IDF-2-2005/8 A-AC/NO		720
11	"	IDF-2-2005/8 B-AC/NC		810
12	"	IDF-2-3005/8 LA-NO		690
13	"	IDF-2-3005/8-PC/NC		750
14	"	IDF-2T-3005/8 PA/NA(TOP SENSING)	S	650
15	18*18*36	IDF-3-3005/8 PA/NA		560
16	"	IDF-3-3005/8 PB/NB		660
17	"	IDF-3-2005/8 A-AC/NO		720
18	"	IDF-3-3005/8 LA-NO		710
19	"	IDF-3T-3005/8 PA/NA(TOP SENSING)		660
20	12*40*26	IDF-5-3004 PA/NA		950
21	26*26*40	IDF-6-3010 PA/NA/IDPS-25		1155
22	31*31*52	IDF-7-3020 PA/NA/IDPS-30		1260
23	40*40*53	IDF-10-3025 PA/NA		1365
24	"	IDF-10T-3025 PA/NA(TOP SENSING)		1465
25	18*18*35	IDF-11-3005 PA/NA	S	560
26	"	IDF-11-2005 A-AC/NO		805
27	60*60*12	IDF-15-3004/5 PA/NA		1260
28	60*60*12	IDF-15-3004/5 A-AC.NO		1560
29	18*31*10	IDF-25/IDW-5M-3005 PA/NA		1100
30	50*20*10	IDF-29/IDW-7-3005 PA/NA		1100
31	28*10*6	IDW3M-PA/NA		1080
32	42*25*10	IDW-5-PA/NA		850
33	55*25*16	IDF-56-3010 PA/NA (FORK)	S	1200
34	60*45*16	IDF-58-3010 PA/NA (FORK)		1200
35	12*12*45	IDPS-12-4 DP/DN		1100
36	5*5*28	IDNQ-5588 PA/NA		3150
37	8*8*40	IDNQ-8801 PA/NA		3600



<b>PROXIMITY SWITCHES</b>				<b>HSN</b>
<b>INDUCTIVE TYPE--ID-- E- SERIES</b>				<b>85369090</b>
1	M-10	ID-10-3003 PA/NA	S	850
2	M-14	ID-14-3005 PA/NA		900
3	M-16	ID-16-3005 PA/NA		900
4	M-20	ID-20-3010 PA/NA		950
5	M-22	ID-22-3010 PA/NA		1050
6	M-24	ID-24-3010 PA/NA		1250
7	M-34	ID-34-3020 PA/NA (PVC)		1350



PHOTO ELECTRIC DIFFUSE TYPE -- GIDN			HSN 85369090
1	M-8	GIDN-8-3A07 PC/NC	5000
2	M-12	GIDN-12-3A10 PC/NC-NO+NC	1850
3	M-12	GIDN-12-3A10 PAT/NAT (W/O Cable)	2700
4	M-18	GIDN-18-PE-3A10PC/NC-NO+NC(PVC)	1000
5	M-18	GIDN-18-PE-3A50/70 PC/NC-NO+NC(PVC)	1000
6	"	GIDN-18-PE-3A 300PC/NC-NO+NC(PVC)	1400
7		GIDN-18-3A10 PC/NC METAL	1150
8	"	GIDN-18-3A 50/70 PC/NC METAL	<b>S</b> 1200
9	"	GIDNN-18-3A50 PC/NC(ADV.GEN LIGHT ON/DARK ON)	1500
10		GIDN-18-3A100 PC/NC METAL	1500
11	"	GIDN-18-3A 300PC/NC-NO+NC METAL	1600
12	"	GIDN-18-2A 50 A-AC/NO METAL	<b>S</b> 1560
13	"	GIDN-18-2A 50 B-AC/NC	1760
14	"	GIDN-18-3A50 PAT/NAT+CABLE (W/O Cable)	<b>S</b> 1650
15	"	GIDN-18-2A50 AT-AC/NO+CABLE (W/O Cable)	2350
16	M-30	GIDN-30-3A70 PC/NC-NO+NC	1700
17	"	GIDN-30-2A70 A-AC/NO	2200
18	"	GIDN-30-2A70 B-AC/NC	2700
19	50*50*18	GIDN-50-4A50JC-24-240 (AC/DC RELAY OUTPUT)	<b>S</b> 2250
20	55*25*16	GIDN-56-3E01 PA/NA(FORK)	2250
21	72*52*20	GIDN-63-3E03 PA/NA(FORK)	2450
22	72*52*20	ID-3SE-ESG-PA/NA-METAL BODY(FORK)	2450
23	32*20*12	GIDQ-31-08 PC/NC	<b>S</b> 2500
24	32*20*12	GIDQ-31-D62/82- PA/NA (LIGHT ON / DARK ON)	2300
25	50*50*18	GIDQ-50-10 PA/NA	2400
26	60*42*20	GIDQ-60-10 PA/NA	3700
27	50.5*28*20	GID-T-5-M-20 PA/NA	2750
28	32*20*12	GIDQ-31-LAG-D62/82- PA/NA (LIGHT ON/DARK ON)	3000
29	32*20*12	GIDQ-31-D62/82- PAT/NAT (WITHOUT CABLE)	2200
30	M -18	GIDN-18-L-3A 50/70 PC/NC METAL LASER	1900
31	M-18	GIDN-18-LAG-3A 50/70 PC/NC LASER ANTIGLARE	2200



PHOTO ELECTRIC RETRO REFLECTOR TYPE-GIDN			HSN 85369090
1	M-12	GID-12-3B2PC/NC	2400
2	M-18	GIDN-18-3B2 PC/NC	<b>S</b> 1500
3	50*50*18	GIDN-50-4B5JC (AC/DC RELAY OUTPUT)	2600
4	32*20*12	GIDQ-31-4B-PC/NC	3100
5	32*20*12	GIDQ-31-R-D61/81- PA/NA (LIGHT ON/DARK ON)	2800



PHOTO ELECTRIC THROUGH BEAM--TYPE--GIDN			HSN 85369090
1	M-8	GIDN-8TB1 PA/NA	6200
2	M-12	GIDN-12-3C3 PA/NA	2900
3	M-15	GIDN-15-3C5 PA/NA	3300
4	M-18	GIDN-18-3C5 PC/NC	<b>S</b> 1950
5	M-30	GIDN-30-3C101 PC/NC	2600
6	50*50*18	GIDN-50-4C5JC- (AC/DC RELAY OUTPUT)	3100
7	32*20*12	GIDQ-31-TB10 PC/NC	4300
8	32*20*12	GIDQ-31-T-D62/82- PA/NA (LIGHT ON/DARK ON)	4000



CAPACITIVE TYPE-CIDN			HSN 85369090
1	M-8	CIDN-8-3001/2 PA/NA	3400
2	M-12	CIDN-12-3002/4 PA/NA	1650
3	"	CIDN-12-2002/4 AC-NO	1950
4	M-18	CIDN-18-3005/10 PC/NC	<b>S</b> 1400
5	"	CIDN-18-3005/10 AC-NO	1550
6	M-30	CIDN-30-3010/20 PC/NC-M/P	<b>S</b> 1600
7	"	CIDN-30-2010/20 AC-NO	1850
8	M-30	CIDN-30-2020 C AC-(NO+NC)	2250
9	50*30*8	FLAT TYPE--CIDQ-3006 PA/NA	2000



PHOTO SENSOR-MICRO		HSN - 85369090
1	ID-EE-670/671/672/673/674-WR-NA	1050
2	CONNECTOR CABLE	520

COLOUR MARK SENSOR			HSN 85369090
S.No	Size	Cat.No	Price
1	85*57*28	ID-BZJ-211/TB-22 (NPN/PNP)	5900
2	22*63*89	ID-KSC2/RG2 (NPN)	<b>S</b> 5700
3	38*62*100	ID-BZJ-311 (NPN)	7500



AREA SECURE SENSOR				HSN 85369090
S.No	Cat.No	PROTECTION HEIGHT	Size	Price
1	ID-ASS-40-4	120MM	3 MTR	7800
2	ID-ASS-40-6	200MM	3 MTR	11500
3	ID-ASS-40-8	280MM	3 MTR	15000
4	ID-ASS-40-10	360MM	3 MTR	18500
5	ID-ASS-40-12	440MM	3MTR	22500
6	ID-ASS-40-16	600MM	3MTR	32500



OPTIC FIBER SENSOR		HSN 85369090
1	FIBER AMPLIFIER ID-OF-RN1A/RP1A (ABS BODY)	2600
2	ID-FD-620-10-M	<b>S</b> 1400
3	ID-FD-420-05-M	1600
4	ID-FT-420-10-M (THROUGH BEAM)	1800



SS 304/316 FLOAT LEVEL SENSOR				HSN 85369090
S.No	Cat.No	Size	Price	
1	ID-4510-S	45MM	680	
2	ID-7510-S	<b>S</b> 75MM	880	
3	ID-10010-S	<b>S</b> 100MM	970	
4	ID-7810-S-L "L-Type"	75MM	1100	
5	ID-15010-S	<b>S</b> 150MM	1020	
6	ID-20010-S	200MM	1300	
7	ID-30010-2-S-DOUBLE BALL	300MM	2100	
8	ID-50010-2-S- DOUBLE BALL	500MM	2600	
9	ID-C-11-S-SS HORIZ.MOUNT	-	3300	
10	ID-C-8-P-1 BLACK PVC HORIZ.MOUNT	<b>S</b> 47MM	500	
11	ID-4510-1WHITE PVC VERTI MOUNT	45MM	300	



**S** Stock items

REED SWITCH			HSN 85369090
S.No	Size	Cat.No	Price
1	27*13*11	ID-TCSIF--AC/DC	<b>S</b> 850
2	27*13*11	ID-TCSIU--AC/DC	900
3		ID-SME(ESTO)--2/3-WIRE	<b>S</b> 1400
4		ID-DA-93/Z73/C73/93	1200



SQUARE TYPE			HSN 85369090
S.No	Size	Cat.No	Price
1	40*40*118	ID-HY-3010-PC/NC	<b>S</b> 1200
2	40*40*118	ID-HY-2010A(AC.NO+NC)	1350



HALL TYPE MAGNETIC			HSN - 85369090
S.No	Size	Cat.No	Price
1	M-8	ID-SM-8-3001 PA/NA	900
2	M-12	ID-SM-12-3004 PA/NA	850
3	M-18	ID-SM-18-3010 PA/NA	900



INDUCTIVE SENSOR METAL FACE- STAINLESS STEEL--CONNECTOR TYPE			HSN 85369090
S.No	Cat.No	Price	
1	IDMF-8-3001/2--PAT/NAT--W/O CAB	3200	
2	IDMF-12-3002/4--PAT/NAT--W/O CAB	3000	
3	IDMF-18-3005/8--PAT/NAT--W/O CAB	3700	
4	IDMF-30-3010/20--PAT/NAT--W/O CAB	4500	



PROXIMITY ACCESSORIES			HSN 85369090
S.No	Cat.No	Price	
1	ID-8 L /S-TYPE 3 WIRE CABLE-2MT	450	
2	ID-12/18/30-3WIRE CABLE-2MT	<b>S</b> 450	
3	ID-12/18/30-3WIRE CABLE-3MT	540	
4	ID-12/18/30-3WIRE CABLE-5MT	<b>S</b> 700	
5	ID-12/16/30-3WIRE CABLE-10MT	1250	
6	ID-12/18/30-4WIRE CABLE-2MT	600	
7	ID-12/18/30-4WIRE CABLE-5MT	900	
8	REFLECTOR FOR RETRO PHOTO	<b>S</b> 200	
9	REFLECTOR FOR RETRO PHOTO-HL-08(A)	430	
10	FIXING CLAMP FOR PHOTO-M-12/18	60	
11	PROXIMITY CONTROLLER UNIT-ID-PU-NC	920	



**S** Stock items



**SWITCH MODE POWER SUPPLY**  
 INPUT: 110/220V - AC / OUTPUT : 24V

HSN  
85045090

S.No	Cat.No	Size	24V	Price
1	ID--10		0.4 AMPS	900
2	ID--15	99*98*38	0.6 AMPS	990
3	ID--25	99*98*38	1.1 AMPS <b>S</b>	950
4	ID--35	129*98*38	1.46 AMPS	1350
5	ID--40	159*98*38	1.67 AMPS	1350
6	ID--50	159*98*38	2.1 AMPS <b>S</b>	1160
7	ID--60	159*98*38	2.5 AMPS	1300
8	ID--75	199*98*38	3.12 AMPS	1600
9	ID-100	199*98*38	4.5 AMPS <b>S</b>	1560
10	ID-120	199*98*38	5 AMPS <b>S</b>	1630
11	ID-150	199*98*38	6.25 AMPS <b>S</b>	1950
12	ID-201	215*115*50	8.3 AMPS	2800
13	ID--250	215*115*50	10.20 AMPS <b>S</b>	3000
14	ID--300	215*115*50	12.5 AMPS	3600
15	ID--350	215*115*50	14.58 AMPS <b>S</b>	3800
16	ID--400	215*115*50	16.67 AMPS	4500
17	ID--400	260*105*65	16.67 AMPS	4800
18	ID--500	238*124*65	20.83 AMPS <b>S</b>	6500
19	ID--600	238*124*65	25.00 AMPS	8200
20	IDSP-500	185*120*92	20.83AMPS	10000
21	IDSP-600	185*120*92	25.00 AMPS	11500
22	ID-800	291*132*68	33.34AMPS	16800
23	ID-1000	291*132*68	41.66 AMPS	17200

**IDSP-WITH POWER FACTOR CORRECTION FUNCTION**

**SWITCH MODE POWER SUPPLY**  
 INPUT: 110/220V - AC / OUTPUT : 12V

HSN  
85045090

S.No	Cat.No	Size	12V	Price
1	ID--10		0.8 AMPS	800
2	ID--15	99*98*38	1.25 AMPS	930
3	ID--25	99*98*38	2.1AMPS <b>S</b>	940
4	ID--35	129*98*38	2.9 AMPS	1150
5	ID--40	159*98*38	3.33 AMPS	1150
6	ID--50	159*98*38	4.2 AMPS <b>S</b>	1200
7	ID--60	159*98*38	5 AMPS <b>S</b>	1250
8	ID--75	199*98*38	6.25 AMPS	1580
9	ID-100	199*98*38	8.5 AMPS	1650
10	ID-120	199*98*38	10AMPS <b>S</b>	1800
11	ID-150	199*98*38	12.08 AMPS	2100
12	ID-201	215*115*50	16.6AMPS <b>S</b>	3000
13	ID--250	215*115*50	20 AMPS	3300
14	ID--300	215*115*50	25 AMPS	3600
15	ID--350	215*115*50	29.16 AMPS	3800
16	ID--400	215*115*50	33.34 AMPS	-
17	ID--400	260*105*65	33.34 AMPS	4300
18	ID--500	238*124*65	41.60 AMPS	6700
19	ID--600	238*124*65	50 AMPS	



**S** Stock items

SWITCH MODE POWER SUPPLY				HSN
INPUT: 110/220V - AC / OUTPUT: 15V				850450590
S.NO	CAT.NO	SIZE	AMPS	PRICE
1	ID--35--15V	129*98*38	2.33	1250
2	ID--60--15V	159*98*38	4	1400
3	ID--120--15V	199*98*38	8	2050


SWITCH MODE POWER SUPPLY				HSN	
INPUT: 110/220V - AC / OUTPUT: 18/30V				85045090	
			18V	30V	
1	ID-50-18/30	159*98*38	2.7	1.6	1400
2	ID-100-18/30	199*98*38	5.5	3.3	1950
3	ID-120-18/30	199*98*38	6.6	4.0	2100
4	ID-150-18/30	199*98*38	8.3	5.0	2500
5	ID-200-18/30	215*115*50	11.1	6.5	3700
6	ID-240-18/30	215*115*50	13.8	8.0	4100
7	ID-350-18/30	215*115*50	19.4	11.66	4400
8	ID-500-18/30	238*124*65	27.7	16.5	7800

SWITCH MODE POWER SUPPLY				HSN	
INPUT: 110/220V - AC / OUTPUT: 36/48V				85045090	
			36V	48V	
1	ID-50-36/48V	159*98*38	1.4	1.0	1400
2	ID-100-36/48V	199*98*38	2.7	2.0	1950
3	ID-120-36/48V	199*98*38	3.3	2.5	2100
4	ID-150-36/48V	199*98*38	4.1	3.1	2500
5	ID-200-36/48V	215*115*50	5.5	4.1	3700
6	ID-240-36/48V	215*115*50	6.5	5.0	4100
7	ID-350-36/48V	215*115*50	9.72	7.29	4400
8	ID-500-36/48V	238*124*65	13.5	10.4	7800

SWITCH MODE POWER SUPPLY---				HSN	
DIN RAIL TYPE				85045090	
			12V	24V	
1	IDR--25--24V	78*93*55	2.1	1.1A	1500
2	IDR--60--24V	78*93*55	5	2.1A	1800
3	IDR-120--24V	65.5*125*100	10	5.0A	2800
4	IDR-240--24V	125.5*125*100	20	10.0A	6100
5	IDR-480-24V	125.5*125*100	41.6	20A	12500

SMPS:SWITCH MODE POWER SUPPLY---				HSN
(MINI)				85045090
1	ID-SS--10--5V		2A	900
2	ID-SS--10--12V		0.83A	900
3	ID-SS--10--24V		0.41A	900
4	ID-SS--20--5V		4A	1050
5	ID-SS--20--12V		1.6A	1050
6	ID-SS--20--24V		0.83A	1050

DIN RAIL MOUNTING ASSEMBLY				HSN
FOR SMPS				85381010
1	50 - 500	ID-DRM-C		230



**S** Stock items

SMPS - DUAL OUT PUT					HSN 85045090
S.NO	CAT.NO	SIZE	VOLTAGE	AMPS	PRICE
1	IDD-30A	129*98*38	5/12V	4/1A	1350
2	IDD-30G	129*98*38	12/24V	1/1A	1350
3	IDD-60A	159*98*38	5/12V <b>S</b>	4/3A	1600
4	IDD-60B	159*98*38	5/24V <b>S</b>	5/1.5A	1700
5	IDD-60G	159*98*38	12/24V	3/1A	1700
6	IDD-120A	199*98*38	5/12V	12/5A	2270
7	IDD-120B	199*98*38	5/24V	8/4A	2270



SMPS - TRIPLE OUT PUT					HSN 85045090
S.NO	CAT.NO	SIZE	VOLTAGE	AMPS	PRICE
1	IDT-30D	129*98*38	5V-12V-24V	2.5A /1A /0.5A	1700
2	IDT-60D	159*98*38	5V-12V-24V	4A /2A /1A <b>S</b>	2200
3	IDT-120D	199*98*38	5V-12V-24V	8A /4A /2A	3600



SMPS - FOUR OUT PUT					HSN 85045090
S.NO	CAT.NO	SIZE	VOLTAGE	AMPS	PRICE
1	IDQ-60D	159*98*38	+5V+12V+24V-12	4A /1A /1A/0.5A	2200
2	IDQ-120D	199*110*50	+5V+12V+24V-12	8A /2A /2A/1A	3850
3	IDQ-150D	199*110*50	+5V+12V+24V-12	10A /5A /1A/1A	4250



SWITCH MODE POWER SUPPLY-ID-LRS TYPE SLIM BODY					HSN 85045090
S.NO	CAT.NO	SIZE	AMPS	PRICE	
1	ID-LRS-25/24V	105*83*30	1.1 AMPS	1200	
2	ID-LRS-35/24V	105*83*30	1.5 AMPS	1200	
3	ID-LRS-50/24V	105*83*30	2.1 AMPS <b>S</b>	1250	
4	ID-LRS-75/24V	104*97*30	3.2 AMPS	1600	
5	ID-LRS-100/24V	139*102*30	4.5 AMPS <b>S</b>	1600	
6	ID-LRS-120/24V	139*102*30	5 AMPS	1700	
7	ID-LRS-150/24V	162*97*30	6.5 AMPS	1950	
8	ID-LRS-200/24V	215*115*30	8.3 AMPS	3100	
9	ID-LRS-250/24V	215*115*30	10.1 AMPS WITH FAN <b>S</b>	3300	
10	ID-LRS-350/24V	215*115*30	14.6 AMPS WITH FAN	4100	



SWITCH MODE POWER SUPPLY INPUT: 110/220V - AC / OUTPUT: 5V					HSN 85045090
S.NO	CAT.NO	SIZE	AMPS	PRICE	
1	ID-5--5V	99*98*38	1.00 AMPS	820	
2	ID-10--5V	99*98*38	2.00 AMPS	870	
3	ID-15--5V	99*98*38	3.00 AMPS	950	
4	ID-20--5V	129*98*38	4.00 AMPS	980	
5	ID-25--5V	159*98*38	5.00 AMPS	1000	
6	ID-35--5V	159*98*38	7.00 AMPS	1180	
7	ID-40--5V	159*98*38	8.00 AMPS	1250	
8	ID-50--5V	199*98*38	10.00 AMPS	1300	
9	ID-60--5V	199*98*38	12.00 AMPS	1400	
10	ID-75--5V	199*98*38	15.00 AMPS	1800	
11	ID-100--5V	199*98*38	20.00 AMPS	1900	
12	ID-120--5V	215*115*50	24.00 AMPS	2000	
13	ID-150--5V	215*115*50	30.00 AMPS	2200	
14	ID-200--5V	215*115*50	40.00 AMPS	3200	
15	ID-250--5V		48.00 AMPS	3500	
16	ID-350--5V		70.00 AMPS	4000	



**SOLID STATE RELAY- SINGLE PHASE**  
**INPUT: 3-32VDC / OUTPUT: 24-480V AC - DC-AC**

HSN  
85365010

S.No	Cat.No	AMPS	Price
1	ID-6/10-DA	6/10AMPS	440
2	ID-16	16AMPS	460
3	ID-25	25AMPS	530
4	ID-40	40AMPS	700
5	ID-50	50AMPS	1000
6	ID-60	60AMPS	1200
7	ID-70	70AMPS	1500
8	ID-90	90AMPS	1800
9	ID-120	120AMPS	2250



**INPUT: 70-280VAC / OUTPUT: 24-480VAC --- AC-AC**

HSN  
85365010

1	ID-10-AA	10AMPS	480
2	ID-16	16AMPS	520
3	ID-25	25AMPS	620
4	ID-40	40 AMPS	850
5	ID-50	50AMPS	1150
6	ID-60	60AMPS	1350
7	ID-70	70AMPS	1700
8	ID-90	90AMPS	2000
9	ID-120	120AMPS	2650



**INPUT: 3-32VDC / OUTPUT: 5-220VDC --- DC-DC**

HSN  
85365010

1	ID-10-DD	10AMPS	550
2	ID-16	16AMPS	600
3	ID-25	25AMPS	750
4	ID-40	40AMPS	950
5	ID-50	50AMPS	1500
6	ID-60	60AMPS	1700
7	ID-70	70AMPS	1900
8	ID-90	90AMPS	2250
9	ID-120	120AMPS	3100



**INPUT: 4-20MA / OUTPUT: 0-380V AC - LA**

HSN  
85365010

1	ID-10-LA	10AMPS	850
2	ID-16	16AMPS	900
3	ID-25	25AMPS	980
4	ID-40	40AMPS	1250
5	ID-50	50AMPS	1700
6	ID-60	60AMPS	1900
7	ID-70	70AMPS	2100
8	ID-90	90AMPS	2500
9	ID-120	120 AMPS	3000



**SOLID STATE RELAY- SINGLE PHASE**

INPUT: 0-380VAC / OUTPUT: 2W-470-560K OHMS --- VA

HSN  
85365010

S.No	Cat.No	AMPS	Price
1	ID-10-VA	10AMPS	640
2	ID-16	16AMPS	650
3	ID-25 <b>S</b>	25AMPS	730
4	ID-40 <b>S</b>	40AMPS	1000
5	ID-50	50AMPS	1500
6	ID-60	60AMPS	1600
7	ID-70	70AMPS	1900
8	ID-90	90AMPS	2400
9	ID-120	120AMPS	3200



**SOLID STATE RELAY --3 PHASE**

INPUT: 3-32VDC / OUT PUT-90-480VAC---DC-AC

HSN  
85365010

1	ID-33-10	10AMPS	1600
2	ID-33-16	16AMPS	1700
3	ID-33-25 <b>S</b>	25AMPS	2000
4	ID-33-40 <b>S</b>	40AMPS	2500
5	ID-33-50 <b>S</b>	50AMPS	3800
6	ID-33-60	60AMPS	4200
7	ID-33-70	70AMPS	5100
8	ID-33-90	90AMPS	5800
9	ID-33-120	120AMPS	7200
10	ID-33-150	150AMPS	9100
11	ID-33-200	200AMPS	10000



**INP-70-280VAC-OUTPUT-24-480VAC--AC-AC**

HSN  
85365010

1	ID-33-10	10AMPS	1900
2	ID-33-16 <b>S</b>	16AMPS	2000
3	ID-33-25 <b>S</b>	25AMPS	2100
4	ID-33-40 <b>S</b>	40AMPS	2800
5	ID-33-50	50AMPS	4200
6	ID-33-60	60AMPS	4600
7	ID-33-70	70AMPS	5800
8	ID-33-90	90AMPS	6200
9	ID-33-120	120AMPS	7200
10	ID-33-150	150 AMPS	10800
11	ID-33-200	200 AMPS	11500



**SOLID STATE RELAY:-HEAVY** HSN  
85365010  
**INPUT: 3-32VDC / OUT PUT-30-480VAC---DC-AC**

S.No	Cat.No	AMPS	Price
1	IDH-3060	60AMPS	1860
2	IDH-3080	80AMPS	2250
3	IDH-3100	100AMPS	2800
4	IDH-3120	120AMPS	3000
5	IDH-3150	150AMPS	3800
6	IDH-3200	200AMPS	4400
7	IDH-3250	250AMPS	5400
8	IDH-3300	300AMPS	6000
9	IDH-3350	350AMPS	7500
10	IDH-3400	400AMPS	8500
11	IDH-3500	500AMPS	10000



**HEAT SINK FOR SSR (ALU.)** HSN  
85365010

1	ID--F1-1 PHASE upto 25 AMPSP	A-50/80	<b>S</b>	180
2	ID--A-50/115-1 PHASE upto 25 AMPBIG	80X60X50		205
3	ID--A-50/220-1 PHASE 60 AMPSP	80X68X50		520
4	ID--A-50/350-1 PHASE 120 AMPSP	100X6X50		810
5	ID-GT-3 PHASE	FOR 70/90/120	<b>S</b>	890
6	IDFH-105/450-3 PHASE	100X80X105 70/90/120		1100
7	IDFH-150/650-3 PHASE	100X80X150 70/90/120		1410



LIMIT SWITCH ID-81--SERIES--10 AMPS			HSN 85365020
S.No	Cat.No	AMPS	Price
1	ID-8104 (P)	(SIDE ROTARY LEVER) <b>S</b>	530
2	ID-8104 (M)	"	590
3	ID-8107	(SIDE ROTARY WITH ROD)	580
4	ID-8108 (P)	(ADJUST LEVER WITH ROLLER) <b>S</b>	530
5	ID-8108 (M)	"	590
6	ID-8111	(PUSH ROD)	520
7	ID-8112	(TOP ROLLER-VERTICAL) <b>S</b>	520
8	ID-8122	(TOP ROLLER-HORIZONTAL) <b>S</b>	520
9	ID-8166	(CAT WHISK-PLASTIC)	630
10	ID-8167	(CAT WHISK-SPRING) <b>S</b>	630
11	ID-8168	CAT WHISK <b>S</b>	650
12	ID-8168-L	CAT WHISK-LONG	700
13	ID-8169	(CAT WHISK-NEEDLE)	650



LIMIT SWITCH ID CA--SERIES--10 AMPS			HSN 85365020
S.No	Cat.No	AMPS	Price
1	IDCA2-2	SIDE ROTARY LEVER <b>S</b>	1120
2	IDCA12-2-Q	ADJ.LEVER WITH ROLLER <b>S</b>	1120
3	IDCA12-2-QD	BIG ROLLER	1250
4	ID-LCL	SIDE ROTARY ROD <b>S</b>	1300
5	IDD-1	TOP ROLLER-VERTI.	1120
6	IDD-2	TOP ROLLER-HORIZ <b>S</b>	1120
7	IDD-S-2	SIDE PLUNGER ROLLER	1400
8	IDD3	TOP PLUGER 360 ROLLER	1300
9	IDLD	TOP PUSH ROD TYPE	1120
10	IDNJ-30	MOUSE TYPE CAT WHISK <b>S</b>	1180
11	IDNJ	FULL SPRING	1250
12	IDNJ-2/S2	CAT W HISK	1300
13	ID-CA32-41-M	YOKE DOU ROLLER (F/B)	1550
14	ID-CA32-43-M	YOKE DOU ROLLER SAME SIDE(F)	1550
15	ID-MD-202	PULL TYPE	1200



LIMIT SWITCH IDHL---SERIES--10 AMPS			HSN 85365020
S.No	Cat.No	AMPS	Price
1	ID-HL-5000	SIDE FIX ROLLER	900
2	ID-HL-5030	SIDE ADJ. ROLLER	900
3	ID-HL-5050	SIDE ADJ. ROD	900
4	ID-HL-5100	TOP PUSH ROD	880
5	ID-HL-5200-H	TOP PUSH ROLLER-HORI	900
6	ID-HL-5200-V	TOP PUSH ROLLER-VER	900
7	ID-HL-5330	CAT WISKER	950



LIMIT SWITCH THERMO PLASTIC -ID10--SERIES--10 AMPS				HSN 85365020
1	ID--101	PUSH ROD	S	530
2	ID--103	TOP ROLLER-VERTICAL		500
3	ID--111	60 DEGREE ANGULAR ROLLER	S	530
4	ID--121	SIDE ROTARY LEVER WITH ROLLER		510
5	ID--127	120 DEGREE ANGULAR ROLLER		550
6	ID--131	ADJUSTABLE LEVER ROLLER		550
7	ID-161	CAT WHISK-TOP SPRING		610
8	ID-171	CAT-TOP PLASTIC		610
9	ID-181	CAT.-FULL SPRING		610
10	ID-191	SIDE ADJ.-50MM ROLLER		680
11	ID-111-L	TOP ROLLER-PTL-SAFETY		750
12	ID--93CPGO2	SAFETYKEY INTERLOCK		1300
13	ID--T4NS-K1/2	SPARE KEY		130



LIMIT SWITCH IDSA---SERIES--10 AMPS				HSN 85365020
1	ID-SA 001	TOP PLUNGER		760
2	ID-SA-003	TOP ROLLER-VERTICAL		800
3	ID-SA 012	TOP ANGULAR ROLLER	S	800
4	ID-SA 021	SIDE LEVER WITH ROLLER		760
5	ID-SA 031	ADJUSTAL LEVER WITH ROLLER		800



LIMIT SWITCHP REWIRE COMPACT-ID-31--SERIES--5 AMPS				HSN 85365020
1	ID-3101	TOP PLUNGER		2000
2	ID-3102	TOP ROLLER-HORIZ	S	2000
3	ID-3103	TOP ROLLER-VERTI		2000
4	ID-3104	SIDE LEVER WITH ROLLER		2100
5	ID-3107	SIDE ROTARY WITH ROD		2300
6	ID-3108	SIDE ADJUSTER LEVER		2200
7	ID-3111	TOP PUSH ROD (WITH PROTECTION)		2200
8	ID-3112	TOP ROLLER-HORIZ (WITH PROTECTION)	S	2100
9	ID-3113	TOP ROLLER-VERTI(WITH PROTECTION)		2100
10	ID-3169	CAT WISKER(WITH PROTECTION)		2300
11	ID-3110	TOP PUSH ROD-SHAPE(WITH PROTECTION)		2200



LIMIT SWITCH METAL HOUSING SEALED-ID61---SERIES-15 AMPS				HSN 85365020
S.No	Cat.No	TYPE	Price	
1	ID-6001	TOP PLUNGER		1200
2	ID-6002	TOP PLUNGER ROLLER-H		1280
3	ID-6003	TOP PLUNGER ROLLER-V		1280
4	ID-6004	TOP ANGULAR ROLLER		1280
5	ID-6101	TOP PLUNGER (WITH PROTECTION)		1300
6	ID-6102	TOP PLUNGER ROLLER-H(WITH PROTECTION)		1300
7	ID-6103	TOP PLUNGER ROLLER-V(WITH PROTECTION)		1300
8	ID-6104	TOP ANGULAR ROLLER(WITH PROTECTION)	S	1300
9	ID-6106	CAT WISKER-FULL SPRING(WITH PROTECTION)		1360
10	ID-6143	REVERS ROLLER(WITH PROTECTION)		1360



S Stock Items



LIMIT SWITCH ID-J-TYPE -1NO+1NC			HSN 85365020
1	ID-J-161	TOP PUSH ROD	1180
2	ID-J-167	TOP PUSH ROLLER	1180
3	ID-J-10511	SIDE ROTARY ROLLER	1200
4	ID-J-10541	SIDE ADJ. ROLLER	1200



LIMIT SWITCH ID-J-TYPE -2NO +2NC			HSN 85365020
1	ID-J-261	TOP PUSH ROD	2000
2	ID-J-267	TOP PUSH ROLLER	2000
3	ID-J-20511	SIDE ROTARY ROLLER	2100
4	ID-J-20541	SIDE ADJ. ROLLER	2100



LIMIT SWITCH ID-E-3S---SERIES-10 AMPS			HSN 85365020
S.No	Cat.No	TYPE	Price
1	ID-3SE-120-1C	TOP PUSH ROD	480
2	ID-3SE-120-1D	TOP PUSH ROLLER	480
3	ID-3SE-120-1E	TOP ANGULAR ROLLER	450
4	ID-3SE-120-1F	TOP ANGULAR ROLLER	480
5	ID-3SE-120-1R	CAT WHISK	520
6	ID-3SE-120-1U	SIDE ADJ. ROLLER	490
7	ID-3SE-120-1V	SIDE ROTARY ROD	490
8	ID-3SE-120-1G	SIDE ROTARY ROLLER	490
9	ID-3SE-100-1EA	TOP ANGULAR ROLLER	450




LIMIT SWITCH			HSN 85365020
1	ID-LXK-3-20-HL	TOP PUSH ROLLER	430
2	ID-LXK-3-20-ST	ADJ LEVER WITH ROLLER	430
3	ID-LXK-3-20-SB	SIDE ROTARY LEVER	430
4	ID-LX3-11-H/K	TOP PUSH ROD	450
5	ID-LX19-001	TOP PUSH ROD	340
6	ID-LX19-111	SIDE ROTARY LEVER BACK	410
7	ID-LX19-121	SIDE ROTARY LEVER FRONT	410
8	ID-LX19-131	SIDE ROTARY LEVER BACK	410
9	ID-JXK1-111	SIDE ROTARY LEVER FRONT	410
10	ID-JXK1-411	TOP PUSH ROLLER	410
11	ID-JW2A-11H/LTH	TOP PUSH ROLLER	340
12	ID-JW2A-11H/W1	TOP PUSH ROD	340
13	ID-JW2A-11H/W3	TOP 3 ROLLER	1160
14	ID-X-2N	TOP ROLLER	390
15	ID-LX-19-SPARE	ELEMENT	180



SPARE FOR LIMIT SWITCH AVAILABLE ON REQUEST

MICRO SWITCH ID-Z-15 TYPE--SERIES-15 AMPS-1NO+1NC			HSN 85365020
S.No	Cat.No	TYPE	Price
1	ID-GW22B (P)	PATTI ROLLER(TEFLON)	210
2	ID-GW22B (M)	PATTI ROLLER (METAL)	<b>S</b> 200
3	ID-GW21B	SMALL PATTI	220
4	ID-GW2B	LONG PATTI ROLLER	<b>S</b> 200
5	ID-GWB	LONG PATTI	<b>S</b> 200
6	ID-GSB	LONG POINT	250
7	ID-GDB	SMALL PLUNGER	<b>S</b> 210
8	ID-GB	DOT POINT	240
9	ID-GQ21B	VERTICAL ROLLER	290
10	ID-GQ22B	HORIZONTAL ROLLER	<b>S</b> 280
11	ID-GQB	PLUNGER	<b>S</b> 270
12	ID-GW227B	DOUBLE ACTION ROLLER	320
13	ID-GW26B	LONG PATTI	340
14	ID-GW24B	LONG WIRE TYPE	340
15		MICRO SWITCH SAFETY CAP	60




MICRO SWITCH D4MC TYPE--10 AMPS			HSN 85365020
S.No	Cat.No	TYPE	Price
1	ID-1000	LONG PATTI	280
2	ID-1020	SHORT PATTI	270
3	ID-2000	LONG PATTI ROLLER	<b>S</b> 290
4	ID-2020	SHORT PATTI ROLLER	290
5	ID-5000	PLUNGER	<b>S</b> 330
6	ID-5010	TOP SMALL PLUGER	370
7	ID-5020	HORIZONTAL ROLLER	350
8	ID-5040	VERTICAL ROLLER	360
9	ID-3030	REV. ROLLER-SMALL	400
10	ID-3030	REV. ROLLER-LONG	400
11	ID-5066	CAT WHISK NYLON	400



MICRO SWITCH ID-GW-15--2NO+2NC			HSN 85365020
S.No	Cat.No	TYPE	Price
1	ID-GW22-1B	PATTI ROLLER	750
2	ID-GW-1B	LONG PATTI WITH ROLLER	750
3	ID-GW2-1B	LONG PATTI	750



<b>MICRO SWITCH "V" TYPE--16AMPS</b>				<b>HSN 85365020</b>
1	ID-15-1C25	BASIC POINT	<b>S</b>	65
2	ID-151-1C25	PATTI	<b>S</b>	70
3	ID-152-1C25	SMALL PATTI	<b>S</b>	70
4	ID-153-1C25	LONG PATTI	<b>S</b>	70
5	ID-155-1C25	PATTI ROLLER	<b>S</b>	70
6	ID-156-1C25	LONG PATTI ROLLER	<b>S</b>	70
7	ID-157-1C25	PATTI "U" END		70




<b>MICRO SWITCH MINIATURE</b>				<b>HSN 85365020</b>
1	ID-KW-11	BASIC	<b>S</b>	36
2	ID-KW-12	PATTI	<b>S</b>	40
3	ID-KW-13	PATTI WITH ROLLER	<b>S</b>	45
4	ID-KW--211/212/217/25			50
5	CROZET MICRO SWITCH	ID-83106/3		280



<b>MICRO SWITCH METAL HOUSING - IDD-4E</b>				<b>HSN 85365020</b>
1	ID-D-4E-1A11	TOP PLUNGER WITH ROLLER	<b>S</b>	1400
2	ID-D-4E-1B11	TOP PLUNGER PUSH ROD		1300
3	ID-D-4E-1C11	TOP PLUNGER WITH ROLLER-BIG		1400



<b>MICRO SWITCH METAL HOUSING - IDQ</b>				<b>HSN 85365020</b>
1	ID-Q-55	TOP PLUNGER		1150
2	ID-Q-2255	TOP PLUNGER ROLLER	<b>S</b>	1150
3	ID-W-255	PATTI ROLLER		1050



<b>DOOR SWITCHES</b>				<b>HSN 85365020</b>
1	ID-TD-10			240
2	ID-RLX40/20-11			210
3	ID-2021SQ			220



WARNING LIGHT - REVOLVING LIGHT--BULB TYPE			HSN 85311090
S.No	W/O BUZZER	TYPE	PRICE
1	ID--1101		640
2	ID--2071 -SMALL		390
	<b>WITH BUZZER</b>		
3	ID-1101J		700
4	ID-2071J-SMALL		490



MULTI LAYER TOWER LIGHT--BULB TYPE -50 MM --- FLASHER / STEADY			HSN 85311090
S.No	W/O BUZZER		PRICE
1	ID-205--1-WT R		700
2	ID-205--2-WT R / G		830
3	ID-205--3-WT R / G/ A		920
4	ID-205--4-WT R / G/ A/ B		1090
5	ID-205--5-WT R / G/ A/ B/ W		1430
	<b>WITH BUZZER</b>		
1	ID-205-1-WTJ R		840
2	ID-205-2-WTJ R / G		970
3	ID-205-3-WTJ R / G/ A/ B		1070
4	ID-205-4-WTJ R / G/ A/ B		1220
5	ID-205-5-WTJ R / G/ A/ B/ W		1560
	**WT-STEADY & FLASHER		
	**WTJ-STEADY/FLASHER WITH BUZZER		
	** VOLTAGE-12/24 & 110/220V		



WARNING LIGHT -LED			HSN 85311090
S.No	W/O BUZZER		PRICE
1	ID-5110 --- (S/F/M) / (F/R/B/S) RED	<b>S</b>	700
2	IDL-90 WITH STAND		880
3	IDS-100-ROG-24V ONLY		1500
4	ID--107--LED(FLASHER)		870
5	ID--5071--LED(FLASHER)		480
6	ID--80--LED PANEL(FLASHER)		700
	<b>WITH BUZZER</b>		
1	ID-5110J --- (S/F/M) / (F/R/B/S) RED	<b>S</b>	800
2	ID-5110J --- (S/F/M) 48VAC / DC & 380VAC		1200
3	IDL-90J WITH STAND		1100
4	ID-107J		1050
5	ID-5071J (2071)	<b>S</b>	600
6	ID-80J		930
VOLTAGE-12/24/110/220V STEADY / FLASHER / REVOLVING --- MULTI VOLT **FRBS- FLASHER/ ROTATING / BLINKING/ STEADY ** MULTI VOLTAGE-12-24 V-AC/DC / 110-220V AC			Rs. 50/- extra for Color other than Red



WARNING LIGHT -SOLAR			HSN 85369090
S.No	W/O BUZZER		PRICE
1	ID SL-80----RED	<b>S</b>	1050



**MULTI LAYER TOWER LIGHT LED**

HSN  
85311090

S.No	Cat.No	Price
1	ID-502-1-WT (W/O BUZZER) Red	950
2	ID-502-2-WT Red / Green <b>S</b>	1250
3	ID-502-3-WT Red / Green / Amber <b>S</b>	1500
4	ID-502-4-WT Red / Green / Amber / Blue	2300
5	ID-502-5-WT Red / Green / Amber / Blue / White	3000
6	ID-502-1-WTJ (WITH BUZZER) Red	1250
7	ID-502-2-WTJ Red / Green	1500
8	ID-502-3-WTJ Red / Green / Amber <b>S</b>	1700*
9	ID-502-4-WTJ Red / Green / Amber / Blue <b>S</b>	2600
10	ID-502-5-WTJ Red / Green / Amber / Blue / White	3300
**WT-STEADY & FLASHER **WTJ-STEADY/FLASHER WITH BUZZER ** VOLTAGE-12/24 & 110/220V		



**SPARE FOR TOWER LIGHT**

HSN - 85389090

1	SPARE BULB FOR LED TOWER LIGHT	270
2	SPARE LENS FOR TOWER LIGHT	110
3	SPARE STAND FOR L & PIPE	270



**MULTI LAYER TOWER LIGHT LED -  
 (MULTI VOLTAGE & FUNCTION)**

HSN  
85311090

S.No	Cat.No	Price
1	ID-504-1-FRBS (W/O BUZZER)	920
2	ID-504-2-FRBS	1220
3	ID-504-3-FRBS	1470
4	ID-504-4-FRBS	2100
5	ID-504-5-FRBS	2800
6	ID-504-1-FRBS-J (WITH BUZZER) <b>S</b>	1220
7	ID-504-2-FRBS-J <b>S</b>	1430
8	ID-504-3-FRBS-J <b>S</b>	1720
9	ID-504-4-FRBS-J	2900
10	ID-504-5-FRBS-J	3000

\*\*FRBS- FLASHER/ ROTATING / BLINKING/ STEADY  
 \*\*FRBS-J FLASHER/ ROTATING / BLINKING/ STEADY WITH BUZZER  
 \*\* MULTI VOLTAGE-12-24 V-AC/DC/ 110-220V-AC



**SIREN AND BUZZER**

HSN - 85311090

1	ID--190	110V/220V <b>S</b>	730
		12V/24V	800
2	ID--290	110V/220V <b>S</b>	1350
		12V/24V	1350
3	ID--390	220V <b>S</b>	3000
4	ID--490	220V	8400
5	ID--F 25 (25MM)	24V	280
		220V	320
6	ID--F 30 (30MM)	24V	310
		220V	350
7	ID HRB-80	24V/220V	400
8	ID HRB-72	24V/220V	390
9	ID-SGZ	220v	9500



## 22.5MM -PUSH BUTTON SERIES--METAL

HSN  
85365020

S.No	Cat.No	TYPE	Price
1	ID-BA	PUSH BUTTON ACTUATOR	60
2	ID-BC	MUSHROOM HEAD PUSH BUTTON	88
3	ID-BS-542	STAYPUT	116
4	ID-BS-642	STAYPUT--JUMBO	140
5	ID-BW	ILLU.PUSH BUTTON--24V/220V(LED)	195
6	ID-BD-21	2 POSITION SELECTOR MAINTAINED	120
7	ID-BD-31	3 POSITION SELECTOR MAINTAIN	120
8	ID-BD-41	2 POSITION SELECTOR SPRING RETURN	140
9	ID-BD-53	3 POSITION SELECTOR SPRING RETURN	140
10	ID-BD-57/73	3 POS. SELECTOR (MAINTAIN+S/R)	260
11	ID-BG-21	2 POSITION KEY SELECTOR	190
12	ID-BG-33/03	3 POSITION KEY SELECTOR	210
13	ID-BG-41	2 POSITION KEY SPRING RETURN	220
14	ID-BG-53/05	3 POSITION KEY SPRING RETURN	230
15	ID-BS-142	MUSHROOM HEAD WITH KEY	220
16	ID-BL-8425	TWIN PUSH BUTTON W/O INDICATOR	140
17	ID-BW-8465	TWIN PUSH BUTTON WITH INDICATOR	210
18	ID-S1/S2	ELEMENT--NO/NC SPARE	35
19	ID-BK-2	2 POSITION ILLUMINOUS SELECTOR	320
20	ID-BK-3	3 POSITION ILLUMINOUS SELECTOR	340
21	ID-B9N	SPARE LED BULB FOR ILLU. P/B	80
22	ID-PBT	PUSH BUTTON PVC BOOT	18



## 22.5MM- SERIES PUSH BUTTON WITH ELEMENT---ID LA38-ABS

HSN  
85365020

1	ID-LA38-11	PUSH BUTTON S/R WITH 1NO/1NC	110
2	ID-LA38-11T	PUSH BUTTON PTL/PTR WITH 1NO/NC	145
3	ID-LA38-11M	MUSHROOM HEAD S/R WITH 1NO/1NC	140
4	ID-LA38-11MT	MUSHROOM HEAD PTL / PTR WITH 1NO/1NC	170
5	ID-LA38-11ZS	MUSHROOM STAYPUT WITH ARROW 1NO/1NC	180
6	ID-LA38-11X/2/3	2P/3P MAINTAINED SELECTOR WITH 1NO/1NC/2NO	130
7	ID-LA38-11/20-K	2P/3P KEY SELECTOR WITH 1NO/1NC/2NO.	300
8	ID-LA38-11FF/3	3P/S SPRING RETURN SELECTOR WITH 2NO.	150
9	ID-LA38-11-L	LUMINOUS S/R 220V/24V WITH 1NO/1NC.	250
10	ID-LA38-11-LT	LUMINOUS PTL/PTR 220V/24V WITH 1NO/1NC.	285
11	ID-LA38-11-D/2	LUMINOUS 2P/S SELECTOR 220V LED WITH 1NO.	330
12	ID-LA38-11-D/3	LUMINOUS 3P SELECTOR 220V-LED WITH 2NO	360
13	ID-LA38-11-R/G	TWIN PUSH BUTTON WITH INDICATOR -1NO/1NC	320
14	ID-LA38-11-R/G	TWIN PUSH BUTTON W/O INDICATOR -1NO/1NC	240
15	ID-LA38-E	ELEMENT-1NO+1NC/2NO	105
16	ID-LA38-S	SPARE LED ASSEMBLY 24/110/220/380V	140



## PUSH BUTTON WITH ELEMENT-30.5MM SERIES

HSN-85365020

1	ID-LA30-11	PUSH BUTTON S/R WITH 1NO/1NC	130
2	ID-LA30-11M	MUSHROOM HEAD S/R WITH 1NO/1NC	160
3	ID-LA30-11ZS	MUSHROOM STAYPUT WITH ARROW 1NO/1NC	200
4	ID-LA30-11/X2	2P/S MAINTAINED SELECTOR WITH 1NO/1NC	150
5	ID-LA30-11/X3	3P/S MAINTAINED SELECTOR WITH 2NO.+2NC	225
6	ID-LA30-E	ELEMENT -1NO + 1NC	80




16MM PUSH BUTTON SWITCHES --LED--R--SERIES (HEAVY)		HSN 85365020
S.No	TYPE	PRICE
1	PUSH BUTTON SPRING RETURN(1NO+1NC)	400
2	PUSH BUTTON PTL/PTR** (1NO+1NC)	450
3	LUMINOUS PUSH BUTTON SPRING RETURN (1NO+1NC)	<b>S</b> 700
4	LUMINOUS PUSH BUTTON SPRING RETURN (2NO+2NC)	940
5	LUMINOUS PUSH BUTTON PTL/PTR** (1NO+1NC)	<b>S</b> 750
6	LUMINOUS PUSH BUTTON PTL/PTR** (2NO+2NC)	950
7	2 POSITION SELECTOR ACTUATOR MAINTAINED (1NO+1NC)	700
8	2 POSITION SELECTOR ACTUATOR SPRING RETURN (1NO+1NC)	800
9	3 POSITION SELECTOR ACTUATOR MAINTAINED (1NO+1NC)	900
10	2 POSITION KEY SELECTOR (1NO+1NC)	950
11	3 POSITION KEY SELECTOR (2NO+2NC)	1100
12	MUSHROOM STAYPUT LATCHED(1NO+1NC)	800
13	INDICATOR--LED--24VDC/220VAC	220



16MM PUSH BUTTON SWITCHES --LED--E--SERIES :		HSN-85365020
1	PUSH BUTTON-S/R-(1NO+1NC)	120
2	PUSH BUTTON PTL/PTR (1NO+1NC)	140
3	LUMINOUS PUSH BUTTON-S/R-1NO+1NC	<b>S</b> 155
4	LUMINOUS PUSH BUTTON S/R (2NO+2NC)	280
5	LUMINOUS PUSH BUTTON-PTL/PTR(1NO+1NC)	<b>S</b> 190
6	LUMINOUS PUSH BUTTON-PTL/PTR (2NO+2NC)	320
7	2 POSITION SELECTOR MAINTAINED (1NO+1NC)	280
8	2 POSITION SELECTOR SPRING RETURN (1NO+1NC)	330
9	3 POSITION SELECTOR MAINTAINED (1NO+1NC)	430
10	2 POSITION KEY SELECTOR (1NO+1NC)	480
11	3 POSITION KEY SELECTOR (2NO+2NC)	560
12	MUSHROOM STAYPUT LATCHED (3PIN/4PIN)	<b>S</b> 360
13	INDICATOR--LED--24VDC/220VAC	65



16MM PUSH BUTTON SWITCHES --LED--E--SERIES (DETACHABLE)		HSN-85365020
S.No	TYPE	PRICE
1	LUMINOUS PUSH BUTTON-S/R-(1NO+1NC)	520
2	LUMINOUS PUSH BUTTON-S/R-(2NO+2NC)	700
3	LUMINOUS PUSH BUTTON PTL/PTR (1NO+1NC)	610
4	LUMINOUS PUSH BUTTON PTL/PTR (2NO+2NC)	800



LUMINOUS PUSH BUTTONS		HSN-85365020
S.No	TYPE	PRICE
1	12MM LUMINOUS PUSH BUTTON	310
2	19MM METAL LUMINOUS S/R PUSH BUTTON	<b>S</b> 550
3	19MM METAL LUMINOUS PTL/PTR PUSH BUTTON	610
4	16MM METAL LUMINOUS S/R PUSH BUTTON	450
5	16MM METAL LUMINOUS PTL/PTR PUSH BUTTON	510



LED INDICATOR--22.5MM/16.5MM--ID-16-22/ID-16-16				HSN 85369090
VOLTAGES		COLOR		PRICE 22.5MM/16MM
1	220V-AC	R/A/G/YY	\$	56
2	"	BL	\$	76
3	"	WH		85
4	220V-AC/DC	R/A/G/YY		80
5	"	BL		100
6	"	WH		100
7	24/110V-AC/DC	R/A/G/YY	\$	70
8	"	BL	\$	90
9	"	WH		100
10	12V-AC/DC	R/A/G/YY	\$	90
11	"	BL		120
12	"	WH		130
13	6V-AC/DC	R/A/G		110
14	"	BL		140
15	"	WH		150
16	415V-AC	R/A/G		80
17	"	BL		90
18	"	WH		100
19	30V/48V-AC/DC	R/A/G		120
20	"	BL		140
21	"	WH		150
22	30MM-220V-AC	R/A/G		120



FLASHER WITH BUZZ ZER--22.5MM				HSN-85369090
1	ID-16-22SM	24V AC/DC--R/Y/G	\$	210
2	ID-16-22SM	110V AC/DC--R/Y/G		240
3	ID-16-22SM	220V AC--R/Y/G	\$	200
4	ID-16-22SM	12V AC/DC--R/Y/G		240
5	ID-16-22SM-MV	24-240V MULTI VOLTAGE		260



VOLTAGE AND AMPERE DISPLAY-22.5MM				HSN-85369090
1	VOLTAGE DISPLAY-ROUND		\$	180
2	VOLTAGE DISPLAY-SQUARE			200
3	AMPER DISPLAY-SQUARE-WITH CT - 100/5			360
4	AMPER + VOLTAGE DISPLAY-SQUARE WITH CT -100/5			460
5	TEMPRATURE DISPLAY ROUND			340

COLOURS : RED / GREEN / AMBER / BLUE / WHITE



PROTECTION COVER FOR PUSH BUTTON				HSN-85381010
	SIZE			Price
1	65x68x45	YELLOW GUARD		160
2	75x85x35	YELLOW GUARD		160
3	75x85x48	YELLOW GUARD		160
4	80x65x40	YELLOW GUARD	\$	190
5	55x37	LOCKABLE		140
6	50x37	LOCKABLE		140
7	55x42	LOCKABLE	\$	160



\$ Stock items



**HEAVY DUTY CONNECTOR  
 BOTTOM OPEN+SIDE ENTRY-SCREW TYPE-16AMPS**

**HSN  
 85369090**

S.No	CAT. NO	PIN	Price
1	ID-HDC-4	4	740
2	ID-HDC-5	5	780
3	ID-HDC-5-L	5 PIN-L TYPE	880
4	ID-HDC-6	6	1080
5	ID-HDC-10	10	1350
6	ID-HDC-16	16	1600
7	ID-HDC-24	24	1850
8	ID-HDC-32	32-DOUBLE LINE	3400
9	ID-HDC-32-SL	32-SINGLE LINE	3200
10	ID-HDC-48	48	4200



**BOTTOM OPEN+SIDE ENTRY-CRIMPING  
 TYPE---10AMPS**

**HSN  
 85369090**

1	ID-HDC-32	32	3600
2	ID-HDC-64	64	8000
3	ID-HDC-72	72	8500
4	ID-HDC-108	108	11500



**CABLE TO CABLE-16AMPS**

**HSN-85369090**

1	ID-HDC-5-C TO C	5 PIN-CABLE TO CABLE	920
2	ID-HDC-5-C (MT)	5 PIN-C TO C(MOUNTING)	980
3	ID-HDC-16-C TO C	16 PIN-CABLE TO CABLE	2100
4	ID-HDC-24-C TO C	24 PIN-CABLE TO CABLE	2600



**BOTTOM CLOSE-+SIDE ENTRY-16AMPS**

**HSN-85369090**

1	ID-HDC-6-BC	6PIN	1400
2	ID-HDC-10-BC	10PIN	1600
3	ID-HDC-16-BC	16PIN	1900
4	ID-HDC-24-BC	24PIN	2350
5	ID-HDC-32-BC	32PIN	4000
6	ID-HDC-48-BC	48PIN	5000



**TOP ENTRY + BOTTOM OPEN -16AMPS**

**HSN-85369090**

1	ID-HDC-6 TE	6 PIN	1350
2	ID-HDC-10 TE	10PIN	1450
3	ID-HDC-16 TE	16PIN	1850
4	ID-HDC-24 TE	24PIN	2250



**BOTTOM OPEN+SIDE ENTRY DUST PROOF  
 COVER--16AMPS**

**HSN  
 85369090**

1	HDC-6	6 PIN	1600
2	HDC-10	10PIN	2000
3	HDC-16	16PIN	2300
4	HDC-24	24PIN	2900
5	HDC-32	32PIN	4500



<b>HEAVY DUTY CONNECTOR MINI</b>			<b>HSN-85369090</b>
1	ID-HDC-M-10	10PIN	1500
2	ID-HDC-M-16-BO	16PIN	1800
3	ID-HDC-M-16-TE	16PIN	1900



<b>HEAVY DUTY CONNECTOR--- 35 AMPS</b>			<b>HSN-85369090</b>
1	ID-HDC-35/4-BO	4PIN	1800
2	ID-HDC-35/6-BO	6PIN	2200
3	ID-HDC-35/12-BO	12PIN	4000
4	ID-HDC-35/6-BC	6PIN	2500



<b>HEAVY DUTY CONNECTOR--- 80/16 AMPS</b>			<b>HSN-85369090</b>
1	ID-HDC-80-4/2	4+2PIN	2800
2	ID-HDC-80-4/8	4+8PIN	4300



<b>ROUND TYPE-MILITARY CONNECTORS</b>			<b>HSN-85369090</b>
1	ID-P20	2/3/4/5/7 PIN	340
2	ID-P28	2/4/6/7 PIN	610
3	ID-P32	8/10/12/14 PIN	750
4	ID-P40	16PIN	1060
5	ID-P48	20/26 PIN	1260
6	ID-P55	30/35 PIN	2650



ID IDEAL

trusted name in automation

**CRIMPING TOOLS FOR EH--LUGS :**

**HSN  
84671190**

1	ID-SN-06-WF	(0.25-6 SQMM.)	900
2	ID-SN-16-WF	(6.0-16 SQMM.)	1250.
3	ID-HSC8-6-4 - 4 SPOT CLIPPING	(0.25-6 SQMM.)	1450
4	ID-HSC8-16-4 -4 SPOT CLIPPING	(4.0-16 SQMM.)	2100
5	ID-HSC8-8-6-6A-6 SPOT CLIPPING	(0.25-6 SQMM.)	1900



**TOOLS FOR NON INSULATED / INSULATED TERMINALS :**

**HSN  
84671190**

1	ID-HS-101	(1.25-10 SQMM.)	850
2	ID-HX-50B	(16-50 SQMM.)	2100
3	ID-HX-150B	(16-150 SQMM.)	4500
4	ID-03B	(1.5-6 SQMM.)	1150
5	ID-HS-48	(0.5-1.5 SQMM.)	1200
6	ID-HS-30J	(0.5-6SQMM)	1350
7	ID-PZ	(0.25-2.5SQMM)	800
8	ID-YQK-300	HYDRAULIC	4000
9	ID-YQK-400-CP-180	WITH PUMP	16000
10	ID-YQK-630	WITH PUMP	



**SCREW TYPE - CAP ON END OF WIRE CONNECTOR**

**HSN  
85369090**

S.No	CAT. NO	COLOUR	PRICE 1000 PCS / PKT
1	CE-1	-	2400
2	CE-2	-	2510
3	CE-5	-	5500
4	P-1	GREY	1020
5	P-2	BLUE	1500
6	P-3	ORANGE	2050
7	P-4	YELLOW	3050



**SNAP TYPE**

**HSN  
85369090**

S.No	CAT. NO	SIZE--MM	COLOUR	PRICE 1000 PCS / PKT
1	ID -SUP-7.8 OPEN	7.8		410
2	ID -SUP-6.3 OPEN	6.3		140
3	ID -SUP-4.8 OPEN	4.8		110
4	ID -SUP-2.8 OPEN	2.8		105



**SNAP INSULATED**

1	RV 1.25-3 RING	1.5		2.50
2	SV 1.25-3 FORK	1.5		2.10

**SNAP NON INSULATED**

1	SNB 1.25-5 FORK			1.80
2	SNB 1.25-3 FORK			1.50

### END TERMINALS (EH-LUGS)

HSN  
85369090

S.No	CAT. NO	SIZE--MM	COLOUR	PRICE 100PCS / PKT
1	ID-E-03-08	0.3 SQ.MM	RED	110
2	ID-E-05-06/08 <b>S</b>	0.5 SQ.MM	WH/OR/BL	45
3	ID-E-05-10	0.5 SQ.MM	WH/OR/BL	50
4	ID-E-05-12	0.5 SQ.MM	WH/OR/BL	55
5	ID-E-75-06/08 <b>S</b>	0.75 SQ.MM	BL/WH/GY/R/BK	48
6	ID-E-75-10	0.75 SQ.MM	BL/WH/GY/R/BK	52
7	ID-E-75-12	0.75 SQ.MM	BL/WH/GY/R/BK	60
8	ID-E-10-06/08 <b>S</b>	1.0 SQ.MM	R/Y/BL	53
9	ID-E-10-10	1.0 SQ.MM	R/Y/BL	60
10	ID-E-10-12	1.0 SQ.MM	R/Y/BL	70
11	ID-E-15-08 <b>S</b>	1.5 SQ.MM	BK/R/BR/BL	60
12	ID-E-15-10	1.5 SQ.MM	BK/R/BR/BL	65
13	ID-E-15-12	1.5 SQ.MM	BK/R/BR/BL	82
14	ID-E-25-08 <b>S</b>	2.5 SQ.MM	BL/GY	70
15	ID-E-25-10	2.5 SQ.MM	BL/GY	80
16	ID-E-25-12	2.5 SQ.MM	BL/GY	110
17	ID-E-40-10	4.0 SQ.MM	OR/GY/R/BK	110
18	ID-E-40-12	4.0 SQ.MM	OR/GY/R/BK	130
19	ID-E-6010/12	6.0 SQ.MM	Y/BK/G	150
20	ID-E-10-12	10.0 SQ.MM	R/BR/Y/G	250
21	ID-E-16-12/15	16.0 SQ.MM	BL/G/WH/R/BK	280
22	ID-E-25-16	25.0 SQ.MM	YELLOW	600
23	ID-E-35-16	35.0 SQ.MM	RED	700
24	ID-E-50-20	50.0 SQ.MM	BL/BK	1200



### TWIN--END TERMINALS :

HSN  
85369090

1	ID-TE-05-08 <b>S</b>	0.50 SQ.MM	WHITE	80
2	ID-TE-05-10	0.50 SQ.MM	WHITE	90
3	ID-TE-75-08 <b>S</b>	0.75 SQ.MM	BL/GY	90
4	ID-TE-75-10	0.75 SQ.MM	BL/GY	100
5	ID-TE-10-08 <b>S</b>	1.0 SQ.MM	RED	100
6	ID-TE-10-10	1.0 SQ.MM	RED	110
7	ID-TE-10-12	1.0 SQ.MM	RED	150
8	ID-TE-15-08 <b>S</b>	1.5 SQ.MM	BK/R	110
9	ID-TE-15-10	1.5 SQ.MM	BK/R	130
10	ID-TE-15-12	1.5 SQ.MM	BK/R	170
11	ID-TE-25-08 <b>S</b>	2.5 SQ.MM	BLUE	160
12	ID-TE-25-10	2.5 SQ.MM	BLUE	175
13	ID-TE-25-12	2.5 SQ.MM	BLUE	200
14	ID-TE-40-12 <b>S</b>	4.0 SQ.MM	OR/GY	220
15	ID-TE-60-14 <b>S</b>	6.0 SQ.MM	Y/G	350
16	ID-TE-10-14	10.0 SQ.MM	RED/BR	500
17	ID-TE-16-14	16.0 SQ.MM	BL/GR	600




<b>FULLY INSULATED FEMALE DISCONNECTORS</b>				<b>HSN 85369090</b>
S.No	CAT. NO	COLOUR	SIZE--MM	PRICE 100PCS / PKT
1	ID-FDFD1-187	RED	0.5-1.5 SQMM(0.5X4.75MM TAB)	500
2	ID-FDFD1-250	RED	0.5-1.5 SQMM(0.8X6.35MM TAB)	530
3	ID-FDFD2-250	BLUE	1.5-2.5 SQMM (0.8X6.35MM TAB)	550
4	ID-FDFD5-250	YELLOW	4-6 SQMM (0.8X6.35MM TAB)	980



<b>INSULATED MALE DISCONNECTORS</b>				<b>HSN 85369090</b>
1	ID-MDD1-187(8)	RED	0.5-1.5 SQMM (0.8X4.75MM TAB)	350
2	ID-MDD1-250	RED	0.5-1.5 SQMM (0.8X6.35MM TAB)	400
3	ID-MDD2-250	BLUE	1.5-2.5 SQMM (0.8X6.35MM TAB)	420
4	ID-MDD5-250	YELLOW	4-6 SQMM (0.8X6.35MM TAB)	750



<b>INSULATED FEMALE DISCONNECTORS</b>				<b>HSN 85369090</b>
1	ID-FDD 1-187	RED	0.5-1.5 SQMM (0.8X4.75MM TAB)	350
2	ID-FDD 1-250	RED	0.5-1.5 SQMM (0.8X6.35MM TAB)	370
3	ID-FDD 2-250	BLUE	1.5-2.5 SQMM (0.8X6.35MM TAB)	420
4	ID-FDD 5-250	YELLOW	4-6 SQMM (0.8X6.35MM TAB)	550



<b>INSULATED PIGGY BACK DISCONNECTORS</b>				<b>HSN 85369090</b>
1	ID-PBDD 1-250	RED	0.5-1.5 SQM M (0.8X6.35MM TAB)	480
2	ID-PBDD 2-250	BLUE	1.5-2.5 SQM M (0.8X6.35MM TAB)	650
3	ID-PBDD 5-250	YELLOW		950



<b>INSULATED BUTT SPLICE CONNECTORS</b>				<b>HSN 85369090</b>
1	ID-BV-1	RED	0.5-1.5 SQMM	280
2	ID-BV-2	BLUE	1.5-2.5 SQMM	310
3	ID-BV-5	YELLOW	4-6 SQMM	560



<b>INSULATED BULLET DISCONNECTORS</b>				<b>HSN 85369090</b>
1	ID-MPD 1-156	RED	0.5-1.5 SQMM(4.0WX8.5L)	370
2	ID-MPD 2-156	BLUE	1.5-2.5 SQMM(4.0WX8.5L)	390
3	ID-MPD 5-156	YELLOW	2.5-4 SQMM(4.0WX8.5L)	750



<b>FULLY INSULATED RECEPTACLE DISCONNECTORS</b>				<b>HSN 85369090</b>
S.No	CAT. NO	COLOUR	SIZE--MM	PRICE
1	ID-FRD 1-156	RED	0.5-1.5 SQMM(3.9WX7.3L)	500
2	ID-FRD 2-156	BLUE	1.5-2.5 SQMM(3.9WX7.3L)	500
3	ID-FRD 5-156	YELLOW	2.5-4 SQMM(3.9WX7.3L)	900



AC CONTACTOR---"LS"TYPE			HSN 85369090
S.No	TYPE	AMPS	PRICE
1	ID--1-09 (1NO+1NC) <b>S</b>	9 AMPS	690
2	ID--1-12 (1NO+1NC) <b>S</b>	12 AMPS	720
3	ID--1-18 (1NO+1NC) <b>S</b>	18 AMPS	870
4	ID--1-22 (1NO+1NC) <b>S</b>	22 AMPS	960
5	ID--1-32 (2NO+2NC) <b>S</b>	32 AMPS	1600
6	ID--1-40 (2NO+2NC)	40 AMPS	2200
7	ID--1-50 (2NO+2NC)	50AMPS	3900
8	ID--1-65 (2NO+2NC)	65 AMPS	4300
9	ID--1-85 (2NO+2NC)	85 AMPS	5500
10	ID--1-125 (2NO+2NC)	125 AMPS	13000

\*VOLTAGES-24V / 36V / 48V / 110V / 240V / 415V

\*For 36/48 V 150/- extra



SPARE FOR CONTACTOR			HSN 85381010
1	ID-C-9-40 AMPS COIL		320
2	ID-C-50-85 AMPS COIL		750
3	ID-AB-1 AUX.BLOCK (1NO+1NC) <b>S</b>		200
4	ID-AB-2 AUX.BLOCK (2NO+2NC)		360



THERMAL OVERLOAD RELAY --- "LS"TYPE			HSN 85369090
1	IDH-22/3 (0.63-1,1-1.6,1.6-2.5,2.5-4,4-6,5-8,7-10,9-13,12-18,16-22)		840
2	IDH-40/3		1330
3	IDH-85/3		1960



3 POLE--CONTACTOR --- "TC"TYPE			HSN 85369090
1	ID-0910/0901 <b>S</b>	9 AMPS	620
2	ID-1210/1201 <b>S</b>	12 AMPS	650
3	ID-1810/1801 <b>S</b>	18 AMPS	730
4	ID-2510/2501 <b>S</b>	25 AMPS	1020
5	ID-3210/3201 <b>S</b>	32 AMPS	1400
6	ID-4011	40 AMPS	3300
7	ID-5011	50 AMPS	3500
8	ID-6511	65 AMPS	3800
9	ID-8011	80 AMPS	5200
10	ID-9511	95 AMPS	5400
11	ID-115	115 AMPS	8800
12	ID-150	150AMPS	9600
13	ID-185	185AMPS	11000
14	ID-225	225AMPS	12500

\*VOLTAGES-24V / 36V / 48V / 110V / 240V / 415V

For 36/48 V 150/- extra



4POLE --- CONTACTORS			HSN 85369090
1	ID-LC1D 25004 <b>S</b>	25 AMPS	1450
2	ID-LC1D 40004 <b>S</b>	40 AMPS	3600
3	ID-LC1D 65004	65 AMPS	4100



DC-CONTACTOR			HSN 85369090
S.No	CAT.NO	TYPE	PRICE
1	ID 1810-D	18 AMPS 24 VDC <b>S</b>	1900
2	ID 2510-D	25 AMPS 24 VDC	2650

VOLTAGE - 24VDC/110VDC



AUX CONTACTOR			HSN 85369090
S.No	CAT.NO	TYPE	PRICE
1	ID-CA-DN22	( 2NO+2NC) <b>S</b>	810
2	ID-CA-DN31	(3NO+1NC)	810



THERMAL OVER LOAD RELAY-"TC" TYPE			HSN 85369090
1	ID-LR 2-D13 (0.63-1,1-1.6,1.6-2.5,2.5-4,4-6,5.5-8,7-10,9-13,12-18,17-25)	<b>S</b>	750
2	ID-LR 2-D23 (22-32, 28-36)		1330
3	ID-LR 2-D33--UP TO 65AMPS (30-40, 37-50, 48-65)		1860
4	ID-LR 2-D33-UP TO 100AMPS (55-70, 63-80, 80-93)		2450



SPARE FOR CONTACTOR-TC-TYPE			HSN 85381010
1	COIL-ID-D2-9-18A	<b>S</b>	300
2	COIL-ID-D4 25-32AMP		450
3	COIL-ID-D6 40-95AMPS		1400
4	AUX. BLOCK-ID-TC - (1NO+1NC,2NO,2NC)		220
5	AUX. BLOCK-ID-TC-(2NO+2NC, 3NO+1NC, 4NO, 1NO +3NC)		350



MINI POWER CONTACTOR			HSN 85369090
1	ID-9/12		1020
2	ID-16	<b>S</b>	1120



MOTOR PROTECTION RELAY-MPCB			HSN 85369090
1	ID-32 (0.63-1/1-1.6/1.6-2.5/2.5-4/4-6.3/6-10/9-14/13-18 AMPS)	<b>S</b>	1900
2	ID-32 (17-23/20-25/24-32 AMPS)		2150
3	AUX. BLOCK (1NO+1NC)-SIDE MOUNTING		750
4	AUX. BLOCK (1NO+1NC)-TOP MOUNTING	<b>S</b>	500
5	ENCLOSURE (BOX)		700



**HOIST PUSH BUTTON--COB SERIES : HSN-85369090**

S.No	CAT NO.	TYPE		PRICE
1	ID-61	2 BUTTON	<b>S</b>	240
2	ID-62	4 BUTTON	<b>S</b>	340
3	ID-63	6 BUTTON	<b>S</b>	470
4	ID-64	8 BUTTON		580
5	ID-65	10 BUTTON		850
6	ID-61A	4 BUTTON (WITH ON OFF)		340
7	ID-62A	6 BUTTON (WITH ON OFF)	<b>S</b>	470
8	ID-63A	8 BUTTON (WITH ON OFF)		580
9	ID-64-A	10 BUTTON (WITH ON OFF)		850



**WIRELESS REMOTE CRANE PENDENT HSN-85369090**

1	ID-HS-4	ON-OFF + 2 WAY		10200
2	ID-HS-6	ON-OFF + 4 WAY		11000
3	ID-HS-6 12-24V AC/DC	ON-OFF + 4 WAY		13500
4	ID-HS-8	ON-OFF + 6 WAY	<b>S</b>	12500
5	ID-HS-8 12-24V AC/DC	ON-OFF + 6 WAY		13500
6	ID-HS-8 (2T + 1)	ON-OFF + 6 WAY		17000
7	ID-HS-10	ON-OFF + 8 WAY		16500
8	ID-F-24-8D (DOUBLE SPEED)	ON-OFF + 6 WAY		33000
9	ID-F-21-E-1B(65 - 440V)	ON-OFF + 6 WAY	<b>S</b>	8600



VOLTAGE - 12-24 /110 /220 / 415

**SINGLE SPEED HOIST PUSH BUTTON HSN-85369090**

1	ID-271	2 BUTTON		920
2	ID-471	4 BUTTON		1340
3	ID-671	6 BUTTON		1750
4	ID-871	8 BUTTON	<b>S</b>	2250
5	ID-1071	10 BUTTON		3350
6	ID-2713	2 + MUSHROOM STAYPUT	<b>S</b>	1100
7	ID-4713	4 + MUSHROOM STAYPUT		1500
8	ID-6713	6 + MUSHROOM STAYPUT	<b>S</b>	1950
9	ID-8713	8 + MUSHROOM STAYPUT	<b>S</b>	2400
10	ID-10713	10 + MUSHROOM STAYPUT		3700



**DOUBLE SPEED HOIST PUSH BUTTON HSN-85369090**

1	ID-2913	2 + MUSHROOM STAYPUT		2400
2	ID-4913	4 + MUSHROOM STAYPUT		3900
3	ID-6913	6 + MUSHROOM STAYPUT		5500
4	ID-8913	8 + MUSHROOM STAYPUT		6000
5	ID-10913	10 + MUSHROOM STAYPUT		8500



**SPARE FOR COB HSN-85369090**

1	PUSH BUTTON	<b>S</b>	90
2	STAY PUT		185
3	2 POS. SELECTOR / 3 POS. SELECTOR		150
4	DOUBLE SPEED ELEMENT	<b>S</b>	500





**HOIST PUSH BUTTON--COB SERIES : HSN-85369090**

S.No	CAT NO.	TYPE	PRICE
1	ID-COP-21	2 BUTTON (A)	910
2	ID-COPB-21	2 BUTTON (B)	870
3	ID-21-WD	2 BUTTON + STAY PUT	<b>S</b> 1300
4	ID-61DR	2 BUTTON -- WITH CAPACITOR	1250
5	ID-61DRH	ROCKER + STAY PUT	<b>S</b> 1150
6	ID-61E	2 BUTTON + STAY PUT	1990
7	ID-67C	12 BUTTON + STAY PUT + 2 POS SELE-SINGLE	8050
8	ID-61F	2 BUTTON + STAY PUT SQ-BAND TYPE	1400
9	ID-62F	4 BUTTON + STAY PUT SQ-BAND TYPE	1950
10	ID-63F	6 BUTTON + STAY PUT SQ-BAND TYPE	2350



**POWER PUSH BUTTON HSN-85369090**

1	ID-BS-211	10A TP ON-OFF	140
2	ID-BS-216	16A TP ON-OFF	<b>S</b> 160
3	ID-BS-230	30A TP ON-OFF	200
4	ID-KAO-5	TP ON-OFF(FLUSH MOUNT)10A	210
5	ID-LAK-10	10A TP ON-OFF(SEWING MACHINE)	225



**FOOT SWITCHES HSN-85369090**

1	IDFS-1	PLASTIC BODY	<b>S</b> 220
2	IDVSF-201	PLASTIC BODY	250
3	IDFS-1-M	METAL BODY	<b>S</b> 320
4	IDFS-2-M	METAL BODY	<b>S</b> 370
5	IDFS-3-M	METAL BODY	440
6	IDFS-302-M	WITH GUARD	<b>S</b> 1150
7	IDFS-402-M	W/O GUARD	950
8	IDFS-502-M	SINGLE WITH GUARD (BIG)	1850
9	IDFS-602-M	TWIN WITH GUARD	3600
10	IDFS-702-M	TWIN W/O GUARD	3400



**MONOLEVER SWITCH--22.5 / 30MM(JOYSTICK) HSN-85369090**

1	ID-PA-12/22	22.5MM--2P-MA/MO	760
2	ID-PA-14/24	22.5MM--4P-MA/MO	<b>S</b> 910
3	ID-PA-2011/201	30.5MM--2P-MA/MO	950
4	ID-PA-4022/402	30.5MM--4P-MA/MO	<b>S</b> 1190



**ROCKER SWITCH WITH INDICATOR HSN-85369090**

1	ID-502	16A--4 PIN--R/Y/G	<b>S</b> 40
2	ID-502	16A--4 PIN--BLUE	54
3	ID-506 ID-504	16A --6 PIN--R/Y/G	60
4	ID-404	6A--3 PIN--R/Y/G/BL	<b>S</b> 37
5	ID-TWIN PUSH BUTTON	16 A--4 PIN--ON/OFF	130
6	ID-CAP	ROCKESCAP (50 PS PACKING)	<b>S</b> 16



**WATER LEVEL CONTROLLER--FLOAT SWITCH HSN-85369090**

1	ID-FS-2M	2 MTR	<b>S</b> 460
2	ID-FS-3M	3 MTR	<b>S</b> 550
3	ID-FS-5M	5 MTR	720
4	IDFS-10M	10 MTR	1150



INSTRUMENTAL (AXIAL) COOLING FAN--AC					HSN 84145990	
S.No	CAT. NO	SIZE	VOLT	PRICE		
1	ID 8025 A2	3"	80*80*25	110V	490	
2	ID 9225 A2	3.5"	92*92*25	110V	530	
3	ID 10825 A2	3.75"	108*108*25	110V	550	
4	ID 12038 A2	4"	120*120*38	110V	520	
5	ID 17250 A2	6"	172*152*50	110V	1200	
6	ID 20060 (RD)	8"	200*200*60	110V	2600	
7	ID 8025 A2	3"	80*80*25	220V	490	\$
8	ID 8038 A2	3"	80*80*38	220V	550	
9	ID 9225 A2	3.5"	92*92*25	220V	540	
10	ID 9238 A2	3.5"	92*92*38	220V	600	
11	ID 10825 A2	3.75"	108*108*25	220V	550	
12	ID 12025 A2	4"	120*120*25	220V	490	
13	ID 12038 A2	4"	120*120*38	220V	410	\$
14	ID-EC-12038 A2	4"	120*120*38	110-220V	400	\$
15	ID 12038 A2	4"	120*120*38	415V	700	
16	ID 17238 B2 (O)	6"	172*150*38	220V	1250	\$
17	ID 17250 B2 (O)	6"	172*152*50	220V	1000	\$
18	ID 17250 B2 (RD)	6"	172*172*51	220V	1000	\$
19	ID 15050 B2 (S)	6"	170*150*50	220V	1050	\$
20	ID 17050 B2 (F)	6"	170*170*51	220V	1000	\$
21	ID 20060 (RD)	8"	200*200*60	220V	1800	
22	ID 20060 (S)	8"	200*200*60	220V	1900	
23	ID 20060 (F)	8"	200*200*60	220V	1800	\$



INSTRUMENTAL (AXIAL) COOLING FAN--DC-PVC BODY					HSN 84145990	
S.No	CAT. NO	SIZE	VOLT	PRICE		
1	ID 4020 D	1.5"	40*40*20	12V	130	
2	"	1.5"	40*40*20	24V	130	
3	ID 5025D	2.0"	50*50*15	12V	140	
4	"	2.0"	50*50*15	24V	140	
5	ID 6020D	2.5"	60*60*20	12V	150	
6	"	2.5	60*60*20	24V	180	
7	ID 8025D	3.0"	80*80*25	12V	160	\$
8	"	3.0"	80*80*25	24V	160	\$
9	ID 9225D	3.5"	92*92*25	12V	180	\$
10	"	3.5"	92*92*25	24V	180	\$
11	ID 12038 D	4.0"	120*120*38	12V	500	\$
12	"	4.0"	120*120*38	24V	500	\$
13	"	4.0"	120*120*38	48V	550	
14	ID 12025 D	4.0"	120*120*25	24V	480	



INSTRUMENTAL (AXIAL) COOLING FAN--METAL BODY-DC FAN					HSN 84145990	
S.No	TYPE	SIZE--MM	VOLTAGE	PRICE		
1	ID 12038D	4.0"	120*120*38	24V	550	
2	ID 17250B2	6.0"	172*150*50	24V	1400	
3	ID 17250B2	6.0"	172*150*50	48V	1700	



ELECTRO MAGNETIC GENERAL RELAY: WITH RESET & INDICATOR BUTTON:					HSN 85369090
S.No	CAT NO.	TYPE	AMPS	PRICE	
1	ID-70.2	8-PIN--2C/O <b>S</b>	10 AMPS	290	
2	ID-70.3	11-PIN--3C/O <b>S</b>	10 AMPS	290	
3	ID-57.2	8-PIN--2C/O <b>S</b>	5 AMPS	250	
4	ID-57.4	14-PIN--3C/O <b>S</b>	5 AMPS	250	
5	ID-56.02	8-PIN--2C/O	10 AMPS	290	

VOLTAGE-AC/DC-6,12,24,110 &240V



GENERAL SOCKET FOR RELAY (MK/MY/LY/G2R)					HSN 85366910
1	ID-PF-083AE	8 PIN BASE (MK2)(BLACK) <b>S</b>		42	
2		"(WHITE)		65	
3	ID-PF-113AE	11 PIN BASE (MK3)(BLACK) <b>S</b>		55	
4		" (WHITE)		75	
5	ID-DYF-08E	8 PIN BASE (MY2)(BLACK) <b>S</b>		58	
6		" (WHITE)		75	
7	ID-DYF-14E	14 PIN BASE (MY4)(BLACK) <b>S</b>		68	
8		"(WHITE)		90	
9	ID-PTF-08E	8 PIN BASE (LY2 TYPE)		90	
10	ID-PTF-11E	11 PIN BASE (LY3)		140	
11	ID-PTF-14E-B	14 PIN BASE-B(O) (LY4 TYPE)		160	
12	ID-PTF-14E-A	14 PIN BASE-A(C)		300	
13	ID-PCB-Y2	PCB-- MOUNTING -MY 2 TYPE		30	
14	ID-PCB-Y4	MY 4 TYPE		35	
15	ID-PCB-R1	G2R1 TYPE		26	
16	ID-PCB-R2	G2R2 TYPE		30	
17	ID-DR-Y-2	DIN RAIL BASE--MY-2		180	
18	ID-DR-Y-4	DIN RAIL BASE--MY-4		230	
19	ID-DR-R1	DIN RAIL--G2R1 TYPE		150	
20	ID-DR-R2	DIN RAIL--G2R2 TYPE		160	
21	ID-MT 470	8 PIN (BIG)		140	
22	ID-MT 47	11 PIN (BIG)		150	



RETAINING CLIP					HSN 85366910
1	8/11 PIN		<b>S</b>	20	
2	8/14 PIN		<b>S</b>	16	



**PORCELIN FUSE AND HOLDER :**

**HSN  
85369090**

S.No	CAT NO.	TYPE	PRICE
1	RO-54/55/58	5*20/5*25/6.3*31.5 MM	16
2	RO-	8.3*31.5 MM	18
3	RO-15	10*38 MM	<b>S</b> 26
4	RO-16	14*51 MM	<b>S</b> 50
5	RO-17	22*58 MM	130
6	RO-24	(PENCIL) 2A - 25A	80
7	RO-26	(DO-1) 2A - 25A	80
8	RO-26	(DO-2) 25A - 65A	110
9	ID-RT-18/32/1	10*38--1 POLE HOLDER	<b>S</b> 130
10	ID-RT-18/32/3	3POLE HOLDER	430
11	ID-RT-18/63/1	14*51--1 POLE HOLDER	270
12	ID-RT-18/63/3	3 POLE HOLDER	730
13	ID-RT-18/125/122	22*58--1 POLE HOLDER	730



**PORCELIN FUSE AND HOLDER : 1000 VDC**

**HSN  
85369090**


1	ID-PV-FUSE	10*38--10A-16A	180
2	ID-PV-32	10*38--1 POLE HOLDER	200



**AC SOLENOID--220V (CONTINUOUS- RATING)**

**HSN  
85369090**

1	IDQ--03(SA)	0.3 KGS	620
2	IDQ--992 (SA)	0.5 KGS	650
3	IDQ--2402 (SA)	0.75 KGS	690
4	IDQ--2402 (SA)	1.00 KGS	750
5	IDQ--2502 (SA)	1.50 KGS	<b>S</b> 850
6	IDQ--2602 (SA)	2.00 KGS	<b>S</b> 940
7	IDQ--3502 (SA)	3.00 KGS	<b>S</b> 1500
8	IDQ--3602 (SA)	4.00 KGS	1600
9	IDQ--3702 (SA)	5.00 KGS	1800
10	IDQ--4602 (SA)	8.00 KGS	4800
11	IDQ--52 (SA)	10 KGS	13000
12	IDQ--56 (SA)	12 KGS	15000



ALSO AVAILABLE IN VOLTAGE - 24/110/415 VAC

CABLE GLAND: "PG"TYPE			HSN 85381010	
S.No	CAT NO.		PRICE	
			BK / GR	WH
1	ID-PG--7	<b>S</b>	7	5.5
2	ID-PG--9	<b>S</b>	9	6.5
3	ID-PG--11	<b>S</b>	10	8
4	ID-PG--13.5	<b>S</b>	12	11
5	ID-PG--16	<b>S</b>	16	14
6	ID-PG-19		20	18
7	ID-PG--21	<b>S</b>	22	20
8	ID-PG--25		28	24
9	ID-PG--29	<b>S</b>	36	30
10	ID-PG--36		66	60
11	ID-PG--42		90	80
12	ID-PG--48		100	90
13	ID-PG--63		216	180



CABLE GLANDS --- "METRIC THREAD"			HSN 85381010	
			PRICE	
			BK/GR	WH
1	ID-M--16*1.5		14	12
2	ID-M--18*1.5		17	14
3	ID-M--20*1.5	<b>S</b>	20	16
4	ID-M--22*1.5	<b>S</b>	24	20
5	ID-M--25*1.5		30	25
6	ID-M--30*1.5			37
7	ID-M--32*1.5			40
8	ID-M--36*1.5			48
9	ID-M--40*1.5	<b>S</b>		86
10	ID-M--50*1.5			130
11	ID-M--60*11.5			160



METAL CABLE GLAND: "PG"TYPE---IP 68			HSN 85369090	
	CAT NO.		PRICE	
	1	ID-M-PG--7	Metal	
2	ID-M-PG--9	Metal		68
3	ID-M-PG--11	Metal		80
4	ID-M-PG--13.5	Metal		94
5	ID-M-PG--16	Metal		120
6	ID-M-PG--19	Metal		170
7	ID-M-PG--21	Metal		190
8	ID-M-PG--25	Metal		260
9	ID-M-PG--29	Metal		330
10	ID-M-PG--36	Metal		570
11	ID-M-PG--42	Metal		720
12	ID-M-PG--48	Metal		1000
13	ID-M-PG--63	Metal		2020



HOUR METER				HSN 91069000
S.No	CAT NO.	TYPE		PRICE
1	ID-HM1--220V	HOUR METER	<b>S</b>	460
2	ID-HM1--12/24V	HOUR METER		580
3	ID-HM-D1	DIGITAL HOUR METER	<b>S</b>	950



COUNTER				HSN 91069000
S.No	CAT NO.	TYPE		PRICE
1	ID-DH48-M	11 PIN MEMORY		1500
2	ID-DH48-J	8 PIN	<b>S</b>	1300



TIMER				HSN 91069000
S.No	CAT NO.	TYPE		PRICE
1	ID-619-2-24HRS	4-PIN	<b>S</b>	850
2	ID-DH48S-11G	11 PIN MEMORY		1750
3	ID-DH48S2-Z/DH48-S-S	8 PIN (24/110/220/415)		1400
4	ID AH3 NB	8 PIN	<b>S</b>	950
5	ID AH3 NC	8 PIN		950
6	ID-H3BA-8			1350
7	ID-H3CR-A8			1800
8	ID-HY3			770
9	ID-ST3P-AA/AB/AC/AD			660
10	ID-QT-189	24 HRS Analogue times	<b>S</b>	1300



FLOAT LESS RELAY				HSN 85369090
S.No	CAT NO.	TYPE		PRICE
1	ID-A-FS1-8	8 PIN		900
2	ID-A-FS1-11	11 PIN		1500



PHASE REVERSE				HSN 85369090
S.No	CAT NO.	TYPE		PRICE
1	ID-APR4	8 PIN		1050




SPEED CONTROLLER				HSN 85381010
S.No	CAT NO.	TYPE		PRICE
1	ID-SS-22	8 PIN		1900
2	ID-SS-32	8 PIN		3100
3	8 PIN TYPE (RELAY TYPE)			650
4	US TYPE-90/120/180/250 WATTS		<b>S</b>	2300
5	PANASO TYPE--IDDV-1204			2900



### PVC CONTROL BOXES --- (Y&BK) -72MM

HSN  
85381010

S.No	CAT NO.	WAY	PRICE
1	ID-BX-1	1 WAY BOX <b>S</b>	90
2	ID-BX-2	2 WAY BOX <b>S</b>	110
3	ID-BX-3	3 WAY BOX <b>S</b>	140
4	ID-BX-4	4 WAY BOX	190
5	ID-BX-5/6	5/6 WAY BOX	280



### THERMOPLAST CABLE JUN. BOX-IP 55/65

HSN  
85381010

1	ID--9020Z	(88*88*53) <b>S</b>	220
2	ID--9025Z (WITH TERMINAL)		270
3	ID--9040Z	(98*98*61) <b>S</b>	270
4	ID--9045Z (WITH TERMINAL)		320
5	ID--9060Z	(139*119*70) <b>S</b>	530
6	ID--9065Z (WITH TERMINAL)		770
7	ID--9100Z	(167*125*82) <b>S</b>	740
8	ID--9105Z (WITH TERMINAL)		1140
9	ID--9250Z	(200*160*98) <b>S</b>	1080
10	ID--9255Z (WITH TERMINAL)		1770



### 3 POLE ON/OFF ISOLATOR

HSN  
85369090

1	ID-PO2-WO- 3 POLE	(32 AMPS)--W/O ENCL. <b>S</b>	750
2	ID-PO3-WO-3 POLE	(63 AMPS)--W/O ENCL.	1100
3	ID-WF-35A	(35 AMPS)--WITH ENCL.	780



### RECEPTACLE COMBINATION: WALL MOUNTING

HSN  
85381010

1	ID-56CB	PROVISION FOR MCB+ SOCKET <b>S</b>	3200
2	ID-56CV	ISOLATER + SOCKET	3750



INDUSTRIAL PLUG & SOCKET--PLUG				HSN 85366910
S.No	GRADE	TYPE	CAT.NO.	PRICE
1	IP44	16A / 2PIN (2 PIN) <b>S</b>	ID-7121	190
2	IP44	16A / 3PIN (2P+E) <b>S</b>	ID-013	120
3	IP44	16A / 4PIN (3P+E)	ID-014	175
4	IP44	16A / 5PIN (3P+E+N) <b>S</b>	ID-015	190
5	IP44	32A / 3PIN (2P+E) <b>S</b>	ID-023	200
6	IP44	32A / 4PIN (3P+E)	ID-024	240
7	IP44	32A / 5PIN(3P+E+N) <b>S</b>	ID-025	290
8	IP67	63A / 3PIN (2P+E)	ID-033	950
9	IP67	63A / 4PIN (3P+E)	ID-034	1100
10	IP67	63A / 5PIN (3P+E+N) <b>S</b>	ID-035	1050
11	IP67	125A / 3PIN (2P+E)	ID-043	3800
12	IP67	125A / 4PIN (3P+E)	ID-044	4000
13	IP67	125A / 5PIN (3P+E+N)	ID-045	4450



INDUSTRIAL PLUG & SOCKET--SOCKET WITH BOX				HSN 85366910
S.No	GRADE	TYPE	CAT.NO.	PRICE
1	IP44	16A/3 PIN (2P+E) <b>S</b>	ID-113	170
2	IP44	16A/4 PIN (3P+E)	ID-114	210
3	IP44	16A/5 PIN (3P+E+N) <b>S</b>	ID-115	220
4	IP44	32A/3 PIN (2P+E) <b>S</b>	ID-123	220
5	IP44	32A/4 PIN (3P+E)	ID-124	290
6	IP44	32A/5 PIN(3P+E+N) <b>S</b>	ID-125	310
7	IP67	63A/3 PIN (2P+E)	ID-133	1200
8	IP67	63A/4 PIN (3P+E)	ID-134	1350
9	IP67	63A/5 PIN (3P+E+N) <b>S</b>	ID-135	1300
10	IP67	125A/5 PIN (3P+E+N)	ID-145	4900



INDUSTRIAL PLUG & SOCKET--COUPLER				HSN 85366910
S.No	GRADE	TYPE	CAT.NO.	PRICE
1	IP44	16A / 2PIN (2 PIN) <b>S</b>	ID-6121	280
2	IP44	16A / 3PIN (2P+E) <b>S</b>	ID-213	150
3	IP44	16A / 4PIN (3P+E)	ID-214	205
4	IP44	16A / 5PIN (3P+E+N) <b>S</b>	ID-215	210
5	IP44	32A / 3PIN (2P+E) <b>S</b>	ID-223	220
6	IP44	32A / 4PIN (3P+E)	ID-224	280
7	IP44	32A / 5PIN (3P+E+N) <b>S</b>	ID-225	300
8	IP67	63A / 3PIN (2P+E)	ID-233	1170
9	IP67	63A / 4PIN (3P+E)	ID-234	1200
10	IP67	63A / 5PIN (3P+E+N) <b>S</b>	ID-235	1250
11	IP67	125A / 3PIN (2P+E)	ID-243	4800
12	IP67	125A / 4PIN (3P+E)	ID-244	5100
13	IP67	125A / 5PIN (3P+E+N)	ID-245	5300




INDUSTRIAL PLUG & SOCKET--SOCKET WITHOUT BOX					HSN 85366910
S.No	GRADE	TYPE	CAT.NO.	PRICE	
1	IP44	16A/2 PIN <b>S</b>	ID-8121	195	
2	IP44	16A/3 PIN (2P+E) <b>S</b>	ID-413	180	
3	IP44	16A/4 PIN (3P+E)	ID-414	210	
4	IP44	16A/5 PIN (3P+E+N) <b>S</b>	ID-415	240	
5	IP44	32A/3 PIN (2P+E)	ID-423	300	
6	IP44	32A/4 PIN (3P+E)	ID-424	330	
7	IP44	32A/5 PIN(3P+E+N) <b>S</b>	ID-425	340	
8	IP67	63A/3 PIN (2P+E)	ID-333		
9	IP67	63A/4 PIN (3P+E)	ID-334		
10	IP67	63A/5 PIN (3P+E+N)	ID-335		
11	IP67	125A/5 PIN (3P+E+N)			
INDUSTRIAL REVERSE PLUG					
1	16/5	16 A/5 PIN (3P+E+N) <b>S</b>	ID-515	400	
2	16/3	16A/3 PIN (2P+E)	ID-513	320	
MULTI SOCKET- JUN -TRISHUL					
1	16/5	16 A/5 PIN (3P+E+N)	ID-1015	1900	
2	16/3	16A/3 PIN (2P+E) <b>S</b>	ID-1013	800	



PORTABLE JUNCTION BOX				HSN 85366910
S.No	TYPE	CAT.NO.	PRICE	
1	16A / 3PIN (2P+E) <b>S</b>	ID-CJB-001	4950	
2	32A / 5PIN(3P+E+N)	ID-CJB-002	6250	
3	EMPTY PORTABLE JUNCTION BOX	ID-E-001	1600	
4	EMPTY SUPPLY DISTRIBUTION BOX	ID-E-002	4900	






# CHANDRA

## ELECTRICALS & ELECTRONICS

PUNE

[www.idideal.in](http://www.idideal.in)

 [idealswitchgears](#)

**Consumer Complaints** <http://goo.gl/forms/WtqKSn7VpV>

**ID IDEAL**<sup>®</sup>  
trusted name in automation

**IDEAL**<sup>®</sup>  
trusted name in automation

DEALER