



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

CCTV Cables

Telephone Switchboard Cables

Submersible Cables

Project Wires (200-300 Mtrs.)

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables

**POLYCAB INDIA LIMITED**

LDC LP No. 08/2021-22 Dtd : 1st March 2022

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	2965	9045	
RG - 6	3285	10020	87000
RG - 11	6420	19580	163000
RG-6 CCS	1870	5705	
RG-11 CCS	3820	11650	

POLYCAB LAN (COMPUTER) CABLES

Item	UOM	Rate in Rs.
CAT 5e UTP FR -PVC	305 MTRS.	13755
CAT 6 UTP PVC-FR (Without Separator)	305 MTRS.	14425
CAT 6 UTP PVC-FR (With Separator)	305 MTRS.	14650
CAT 6 FTP FR PVC (Without Separator)	305 MTRS.	17795
CAT 6 FTP FR PVC (With Separator)	305 MTRS.	18025
CAT 6A UTP PVC-FR	305 MTRS.	18180
CAT 6A FTP PVC-FR	305 MTRS.	21565
CAT6 UTP- Armoured / Flexible Armoured	1000 MTRS.	123500
CAT6 FTP- Armoured / Flexible Armoured	1000 MTRS.	138500
CAT6 A UTP- Armoured / Flexible Armoured	1000 MTRS.	138500
CAT6 A FTP- Armoured / Flexible Armoured	1000 MTRS.	153000

POLYCAB CCTV CABLES

Item	UOM	Rate in Rs.
CCTV 3+1	90 MTRS.	4445
CCTV 4+1	90 MTRS.	4970
CCTV 3+1	180 MTRS.	8890
CCTV 4+1	180 MTRS.	9940
CCTV 4+1 Armoured	1000 MTRS.	165000



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	895	1330	805	1195	20
2 Pair	1460	2260	1315	2035	20
3 Pair	2100	3250	1890	2925	16
4 Pair	2685	4290	2415	3860	12
5 Pair	3475	5095	3125	4585	8
10 Pair	6935	10550	6240	9480	1
20 Pair	13900	21350	12500	19200	1
50 Pair		53500			1
100 Pair		112500			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	10450	11000	10250
2.5	17400	18300	16950
4	24900	26100	24600
6	36200	38000	35400
10	61300	64400	
16	95200	100000	
25	155800	163600	
35	213500	224200	



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL(MULTISTRAND) CABLES
FLAME RETARDANT LEAD FREE (FRLF) / FLAME RETARDANT LOW SMOKE (FRLSH) / HEAT
RESISTANT FLAME RETARDANT LOW SMOKE HALOGEN - LEAD FREE CONFORMING TO IS-
694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE
GRADE 1100 VOLTS

POLYCAB PVC INSULATED SINGLE CORE
UNSHEATHED INDUSTRIAL(MULTISTRAND)
CABLES – HALOGEN FREE FLAME RETARDANT
(HFFR) WITH BRIGHT ANNEALED
ELECTROLYTIC BARE COPPER CONDUCTOR FOR
VOLTAGE GRADE 1100 VOLTS

Size (sq.mm.)	FRLF	FRLS-H	GREEN WIRES HR-FRLS-H-LF	HFFR	Coils Per Box
	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	
0.75	4630	4770	4840	5010	10
1	6070	6250	6345	6525	8
1.5	8935	9205	9335	9605	6
2.5	14515	14950	15170	15600	4
4	14700	15140	15360	15810	4
6	21985	22645	22975	23635	3
10	39085	40260	40850	42010	1
16	61360	63200	64120	65960	1

Notes

1. The above rates are exclusive of GST which shall be charged extra.
2. This Price List is subject to change without notice.
3. As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.

**POLYCAB INDIA LIMITED**

LDC LP No. 08/2021-22 Dtd : 1st March 2022

Polycab FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1140	24
0.75	24/.2	8	1640	24
1	32/.2	13	2140	20
1.5	30/.25	17	3040	16
2.5	50/.25	24	5030	12
4	56/.3	30	7760	8
6	84/.3	38	11500	6
10	80/.4	52	20000	1
16	126/.4	70	31400	1
25	196/.4	88	49000	1
35	276/.4	110	68100	1
50	396/.4	145	96500	1
70	354/.5	215	135400	1
95	484/.5	260	184800	1
120	608/.5	305	241400	1
150	750/.5	355	300400	1
185	925/.5	415	371400	1
240	1210/.5	500	479100	1
300	1527/.5	585	597400	1
400	2036/.5	695	795300	1
500			1053900	1
630			1328900	1

Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3350	4450	5570	5	7270	8550
4560	6050	7640	5	10000	12000
5600	7560	9630	5	12900	15300
7420	10300	13400	5	18000	21400
11900	16400	21700	4	28400	34300
17900	25200	33300		45800	55000
26100	37200	48600		67000	82700
44300	63500	83200		113800	139000
70600	99400	130500		176400	
113700	162100	213500		274000	
156800	225700	295100		378800	
224700	318700	420200		550900	
312800	444000	590900		759800	



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/2	5	9525	11100	13800	16100
0.75	24/2	8	13500	15700	19400	23000
1	32/2	13	17200	20000	24500	29000
1.5	30/25	17	24000	28100	34100	40500
2.5	50/25	24	39400	44900	56300	66000
4	56/3	30	62600	72600		

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/2	5	18900	21200	24700	31300
0.75	24/2	8	26800	30300	35100	44700
1	32/2	13	33700	38500	45400	57500
1.5	30/25	17	47200	53900	63600	80000
2.5	50/25	24	77400	88400	104700	130900

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area mm ²	No/Dia of Strands No/mm	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
			Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	16600	22600
10	80/0.4	75	28000	38200
16	126/0.4	103	41500	48200
25	196/0.4	126	66100	73800
35	276/0.4	152	90500	99500
50	396/0.4	189	126300	138400
70	354/0.5	240	173900	190600
95	484/0.5	297	236200	245800
120	608/0.5	346	298300	310600
150	750/0.5	390	372700	388300
185	925/0.5	460	455100	468700
240	1210/0.5	552	591400	617200
300	1527/0.5	640	737300	776200
400	2036/0.5	753	983500	1029100



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1180	24
0.75	24/.2	8	1697	24
1	32/.2	13	2215	20
1.5	30/.25	17	3146	16
2.5	50/.25	24	5206	12
4	56/.3	30	8032	8
6	84/.3	38	11900	6
10	80/.4	52	20700	1
16	126/.4	70	32500	1
25	196/.4	88	50700	1
35	276/.4	110	70500	1
50	396/.4	145	99900	1
70	354/.5	215	140100	1
95	484/.5	260	191300	1
120	608/.5	305	249800	1
150	750/.5	355	310900	1
185	925/.5	415	384400	1
240	1210/.5	500	495900	1
300	1527/.5	585	618300	1
400	2036/.5	695	823100	1
500			1090800	1
630			1375400	1

Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3600	4785	5990	5	7815	9190
4900	6505	8215	5	10800	12900
6020	8125	10400	5	13900	16400
7790	10800	14100	5	18900	22500
12500	17200	22800	4	29800	36000
18800	26500	35000		48100	57800
27400	39100	51000		70400	86800
46500	66700	87400		119500	146000
74100	104400	137000		185200	
119400	170200	224200		287700	
164600	237000	309900		397700	
235900	334600	441200		578400	
328400	466200	620400		797800	
	649900	853200			
	829800	1093200			
	1048300	1382100			
	1261200	1673200			
	1662200	2199100			
	2067100	2618200			
	2756100	3491000			

**POLYCAB INDIA LIMITED**

LDC LP No. 08/2021-22 Dtd : 1st March 2022

Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	10200	11900	14800	17300
0.75	24/.2	8	14500	16900	20900	24700
1	32/.2	13	18500	21500	26300	31200
1.5	30/.25	17	25200	29500	35800	42500
2.5	50/.25	24	41400	47100	59100	69300
4	56/.3	30	65700	76200		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	20300	22800	26600	33600
0.75	24/.2	8	28800	32600	37700	48100
1	32/.2	13	36200	41400	48800	61800
1.5	30/.25	17	49600	56600	66800	84000
2.5	50/.25	24	81300	92800	109900	137400



POLYCAP INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

POLYCAP SOLAR CABLES

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618		Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables		Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabilized PVC Sheathed Single Core Solar Cables	
Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.
2.5	5800	2.5	5425	4	8350
4	8865	4	8390	6	11500
6	12000	6	11600	10	23200
10	24500	10	23300	16	36800
16	39400	16	37000		
25	63500				
35	88700				
50	118200				
70	162600				
95	223400				
120	282000				

POLYCAP BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	6225	7700	8465	11000	16900
3	7955	10200	11425	14900	23600
4	9700	12400	14400	19100	31400
5	11400	14900	17300	23300	37200
6	13200	17300	20500	27800	44700
7	14600	19600	23100	31100	50500
8	16800	22000	26000	35500	57600
10	20600	27300	31900	44200	72200
12	24000	31600	37700	52000	85200
14	27300	37000	43900	60200	98700
16	30600	41600	49500	68300	112200
19	36000	48500	57900	80100	132400
24	44700	61000	72700	101500	166800

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 4% Extra Charges for Drum Packing



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	9400	10700	12100	15200	23400	38300	53600	86000	141700		
3	11000	13500	15200	20000	29900	47600	66700	107000	176500	290600	385200
4	13100	16700	19800	25200	39600	58400	82800	153800	225200	369900	489000
5	16200	21300	26000	30500	50400						
6	17400	22800	27600	34700	57100						
7	19100	26300	32900	42400	67600						
8	22400	31600	40700	48200	84300						
10	26100	35200	46500	59600	102500						
12	29100	39600	49300	67800	119400						
14	34400	48800	63200	84200	139300						
16	39200	62800	67600	92500	156000						
19	47000	73300	80800	111000	179800						
24	54300	79100	95100	138100	228300						



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor,PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	9800	11800	13500	16700	24300	34300	47600
3	11900	14800	17100	21900	32400	48200	66400
4	14300	18100	21000	27600	41000	60200	86100
5	16700	21300	25500	33400	49900		
6	19100	24900	29400	38700	58900		
7	20800	27400	32600	43400	66300		
8	23800	31000	36900	49700	76100		
10	28700	38000	45600	60800	94000		
12	32700	43900	52700	70900	110300		
14	37400	49800	60200	81800	126900		
16	41800	56300	68200	92300	144300		
19	48000	65100	79700	108200	168700		
24	60000	81500	99800	135800	212200		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	77600	116000	176000	239900	341000	467900	625600
3	109400	164500	252800	345600	491500	678900	908800
4	142400	215400	332800	456100	648400	896000	1200700

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)


Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	2415	23/38	1885	0.5 Sq.mm	2635	1.5 Sq.mm	6860
40/36	3675	40/38	2850	0.75 Sq.mm	3785	2 Sq.mm	9145
70/36	6360	70/38	4350	1 Sq.mm	4985	2.5 Sq.mm	11225

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	41500
25	160	796/0.2	61700
35	230	1115/0.2	86600
50	400	703/0.3	123800
70	600	999/0.3	172500
95	700	1346/0.3	233400
120	1100	1699/0.3	288900





POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

POLYCAB ALUMINIUM WIRES & CABLES

**POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS
SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS
694**

**POLYCAB PVC INSULATED AND SHEATHED TWIN CORE_FLAT & THREE
CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID
ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694**

Size in Sq.mm.	Price in Rs./100 Mtr.	No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
1.5	765	2 Core	2.5	4200
2.5	1210	2 Core	4	5625
4	1715	2 Core	6	7450
6	2360	2 Core	10	10900
10	3940	2 Core	16	15700
16	5775	3 Core	2.5	6200
25	8940	3 Core	4	8150
35	12300	3 Core	6	9525
50	13900	3 Core	10	17800
70	18100	3 Core	16	23500
95	32300	4 Core	2.5	7600
		4 Core	4	10600
		4 Core	6	15100
		4 Core	10	22200
		4 Core	16	29500



POLYCAB INDIA LIMITED

LDC LP No. 08/2021-22 Dtd : 1st March 2022

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	72	89	110	147	240	367
4	93	120	146	200	315	492
5	130	170	215	278	439	659
6	154	207	256	329	528	796
7	178	235	296	382	616	924
8	206	267	337	438	707	1059
9	238	315	393	502	814	1208
10	263	347	434	556	900	1347
12	309	413	517	660	1073	1608
14	374	486	606	787	1262	1889
16	422	555	700	893	1448	2162
18	466	614	784	1003	1605	2403
24	634	834	1061	1214	2163	3252

**POLYCAB INDIA LIMITED**

LDC LP No. 08/2021-22 Dtd : 1st March 2022

UNINYVIN CABLES**Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	23.30
20	0.556	30.00
18	0.966	44.40
16	1.17	52.70
14	2.05	81.00
12	3.22	118.00
10	5.33	166.00
8	8.76	258.00
6	13.30	383.00
4	21.50	605.00
2	33.30	926.00
1	40.70	1120.00
0	53.00	1456.00
00	68.30	1853.00
000	84.20	2296.00
0000	109	2952.00